
QL 401 .Q15 MOLL Quarterly Journa of Conchology v.I no. 13 Nov



No. 13.]

NOVEMBER, 1877.

[VOL. I.

THE

QUARTERLY JOURNAL

CONCHOLO

JAN 4 1890

CONTENTS.

ě	LOOM HONO	0.	E A years B	A OI		_0.			I MUL.	
	Buliminus Gibbonsi								280	
	Buliminus costatus								280	
	Buliminus cinereus								281	
	Opeas delicata								281	
	Subulina intermedia					•••			282	
ORIGINAL COMMUNICATIONS:										
	Suggestions for finding	the sn	naller I	Land S	hells.—	-H. La	ver, F.	L.S.	264	
	Helix lamellata.—Rich	ard R	immer			•••			265	
	Helix Pisana.—Richar	d Rim	mer						266	
List of Land Shells collected on Fitzroy Island, with notes on their										
geographical range.—John Brazier, C.M.Z.S., &c										
	Ten days' dredging at	Oban.	-Rev.	A. M.	Norma	an, M.	1		275	
Descriptions of new species of Land Shells from the East Coast of										
	Africa.—John V	V. Tay	lor				•••		280	
Remarks on the geographical distribution of the Terrestrial Mollusca.										
	-C. P. Glovne		37				**1		283	

BIBLIOGRAPHY:

LONDON:

HARDWICKE & BOGUE, 192, PICCADILLY, W. BRISTOL: W. K. MANN, CLIFTON. LEEDS: TAYLOR BROS., St. Ann's Street.

PRICE ONE SHILLING.

NOTICE.

Full price will be paid for clean, perfect copies of Nos. 1, 2, 3, 4, and 5 of this Journal at the Office, St. Ann's Street, Leeds.

EXCHANGE.

Collections of 20 species of British Limnæidæ, in exchange for Limnæidæ of any other country.—W. Nelson, Duke Street, Leeds.

Wanted.—White Varieties of Helix pomatia, hispida, aculeata, fusca, lapicida; Zonites radiatulus; Clausilia rangosa; Cochlicopa tridens, lubrica; Acme lineata; Limnæa stagnalis, peregra; in return, marine or land shells.—Rev. A. M. Norman, Burnmoor Rectory, Fence Houses, Co. Durham.

To AMERICAN CONCHOLOGISTS.—Melaniæ and other operculated freshwater shells desired in exchange for British Land and Freshwater Shells.—J. Whitwham, Cross Lane, Marsh, Huddersfield, England.

Limnea glutinosa, Planorbis lineatus, Helix cartusiana, &c., offered for Vertigo moulinsiana, V. alpestris, V. substriata, V. pusilla, Helix hispida var. albida, Limnea involuta, rare British marine or foreign shells, or small glass tubes.—E. R. F., 82, Abbey Street, Faversham, Kent.

BOOKS RECEIVED.

- Bulletin of the United States Entomological Commission—No. 1, Destruction of the young or unfledged Locusts, 8vo., 1877, pp. 16.
 - No. 2. On the Natural History of the Rocky Mountain Locust, &c., 8vo., 1877, pp. 24. [Prof. Packard, jun.
- Bulletin of the United States National Museum:—No. 8.—Index to the names which have been applied to the subdivisions of the class Brachiopoda, by Prof. W. H. Dall, 1877, 8vo., pp. 88. [The Author.
- Die geographische Verbreitung der Binnen-mollusken, by Dr. W. Kobelt, 1877, 8vo., pp. 3o. [The Author.
- Notes on a small collection of Land and Freshwater Shells from South-East Madagascar, with descriptions of new species, by Geo. French Angas, C.M.Z.S., F.L.S., &c. [The Author.
- Jahrbücher der Deutschen Malakozoologischen Gesellschaft, edited by Dr. W. Kobelt, July 1877, 8vo., pp. 80 and 3 plates. [The Editor.
- The Post-Tertiary Fossils procured in the late Arctic Expedition; with some notes on the recent or living mollusca from the same expedition, by J. Gwyn Jeffreys, LL.D., F.R.S., &c., &c., Sept., 1877, 8vo., pp. 14. [The Author.]
- The American Naturalist.—Edited by Prof. A. S. Packard, jun., Aug.—October, 1877, 8vo. [The Editor.
- The Naturalist.—Edited by C. P. Hobkirk and G. T. Porritt, F.L.S., August–November, 1877, 8vo. [The Editors.

THE NATURALIST:

Journal of the Yorkshire Naturalists' Union, and General Field Club Record.

EDITED by C. P. HOBKIRK and G. T. PORRITT, F.L.S.

Monthly price 4d., or 4s. per annum (in advance).

Vol. III. commenced August, 1877.

POST FREE OF

R. Brown, Publisher, Huddersfield.

In January, April, July & October, 48 pp. 8vo.

"The Scottish Raturalist,"

A Quarterly Magazine of Scottish Natural History,
Edited by F. Buchanan White, M.D., F.L.S.

Price (paid in advance) 4s. per annum, post free.

If not paid in advance, 4s. 6d., and postage extra.

Single Numbers 1s. 2d.

Apply to the Editor, Perth; or Mr. J. Young, C.E., Tay Street, Perth.

Vol. IV. commenced with the number for January, 1877.

Vol. I may still be had—Price, Seven Shillings.

G. B. SOWERBY,

45, GREAT RUSSELL ST., LONDON,

Names and arranges Specimens and Collections of SHELLS, for Public and Private Museums; supplies desiderata, and entire Collections, from a large and valuable Stock, which is constantly being replenished by novelties from various parts of the World.

PRICE LISTS ON APPLICATION.
SPECIMENS SENT FOR SELECTION.

45, GREAT RUSSELL STREET, LONDON,

And at No Other Address.

BOOKS RECEIVED.

(Continued).

Proceedings of the Boston Society of Natural History, 1876, 8vo., The Society. pp. 200.

Address to the Biological Section of the British Association, Plymouth, 16th August, 1877, by J. Gywn Jeffreys, LL.D., F.R.S., Treas. G. & L. SS., &c., President of the Section, 1877, 8vo., pp. 9. The Author.

Descriptions of a new genus of Gastropodous Mollusca from Japan, and of a new species of Bullia from Kurrachi, by George French Angas, C.M.Z.S., F.L.S., &c., 1877, 8vo., pp. 2 and plate. [The Author.

Report on the Brachiopoda of Alaska and the adjacent shores of North-West America, by Prof. W. H. Dall, 1877, 8vo., pp. 18.

The Author

he Conchological Society GREAT BRITAIN AND IRELAND.

HIS Society has recently been founded, its objects being the advancement of Conchological Science, the formation of a Library and collections illustrative of the Science in all its departments, and the publication of proceedings.

The Subscription is Half-a-Guinea per annum.

The Council will be happy to hear from Conchologists in any part of the world who may be desirous of assisting the Society by becoming members, or by donations of Books for the library, or of specimens for the collection. Not only are shells desired for the collection but the anatomical preparations and slides. The Council will also be happy to receive communications to be read before the meetings, which will, if deemed suitable, be published in the proceedings.

HENRY CROWTHER, Secretary, THE MUSEUM,

LEEDS.

Nov. 1, 1877.

SEVENTH YEAR OF PUBLICATION.

28, ESSEX STREET, STRAND, LONDON, OCTOBER, 1877.

No. 24.

THE

NATURAL HISTORY AND SCIENTIFIC

BOOK CIRCULAR:

CONCHOLOGY,	MOLLU	ISCA	nlivy	Since I a	or atmosp	Page	2
ICHTHYOLOGY	e person	o via	Plane.	Jah' at	or or other	. 37	12
REPTILIA .	y lorumber	Tien	· July	Sol des an	T 00000	"	15

WILLIAM WESLEY, BOOKSELLER AND PUBLISHER,

NATURAL HISTORY AND SCIENTIFIC BOOK AGENCY,

28, ESSEX STREET, STRAND, LONDON.

Agency of the Smithsonian Institution.

THE prices are net, without discount, for ready money. Orders from abroad should be accompanied with order for payment in London; if any of the works are sold, the balance will be returned. Post-office Orders payable at East Strand Office. In most cases there are only single Copies of the Works; orders should therefore be sent without delay. If it is desired to see the books intended to be ordered, two days' notice is requested before calling. Orders should be sent direct to WM. WESLEY, or the Books cannot be guaranteed or the Book Circular forwarded.

W. Wesley is thankful to receive the addresses of gentlemen who are interested in Scientific Literature, that he may send the "Book Circular" to them.

Orders for Works on Natural History and Science, whether in the Book Circular or not, will be carefully attended to; W. Wesley has great facilities for obtaining works of this class.

CONCHOLOGY, MOLLUSCA.

ADAMS (C. B.) Contributions to Conchology (Mollusca Jamaicensia, etc.), 11 numbers, 8vo., New York, 1849-52, 14s. 6d.

ADAMS (H.) and (A.) Genera of Recent Mollusca, with 144 plates, plain, 3 vols., royal 8vo.,

cloth, 1853-58, £4.

The same, with 144 coloured plates, £7 17s. 6d.

ADANSON, Histoire Naturelle du Sénégal: Coquillages, avec la Relation d'un Voyage en ce

pays, map and 19 plates of shells, 4to., calf, Paris, 1757, 8s. 6d. AGASSIZ (L.) Etudes Critiques sur les Mollusques Fossiles, 105 plates, 4to., half bound morocco,

1840-45 (pub. 108 francs), £2 2s.

AGASSIZ (L.) Iconographie des Coquilles Tertiaires, 15 plates, large 4to., 1845 (pub. 15 francs), 125.

AGASSIZ (L.) Mémoire sur les Moules de Mollusques vivants et fossiles-Ire, partie :- Les Moules d'Acéphales vivants, 12 plates, 4to., 1838 (pub. 12 francs), 10s.

AGASSIZ (L.) Mollusques Vivants, 5 finely mounted plates, 4to., Neuchatel, 5s. 6d.

CONTENTS: Myristica cornuta Ag., Myristica melongena Sw., Dolium cinguliferum Bronn.

Ticula undata, Pyrula interrupta Ag., Pyrula dimidiata Ag., Ticula teata. **AGASSIZ (L.)** Monographie d'Echinodermes, vivants et fossiles, 4 vols. in 1, 4to., with 47 plates, and folio atlas of 9 plates, half bound morocco, Neuchatel, 1839-42 (pub. 98 francs), £1 16s.

CONTENTS: Livrn. I., Les Salénies, 5 plates; Livrn. II., Les Scutelles, 25 plates; Livrn. III., Le Monographie des Galerites et des Dysasters, par Desor, 17 plates; Livrn. IV., L'Ana-

tomie du genre Echinus, par Valentin, 9 plates in folio.

AGASSIZ (L.) Ophiures, 4to., 5 plates; Mollusques, 4to., 5 plates; Pisces Celebes, folio, 4

ALBERS (J. C.) Malacographia Maderensis sive enumeratio molluscorum quae in insulis Madeira et Portu Sancto viva aut foss., reper., 17 coloured plates, large 4to., boards, Berol., 1854, £1 7s. 6d.
ALDER (J.) and HANCOCK (A.) Monograph of the British Nudibranchiate Mollusca, complete

in 7 parts, forming 2 vols., folio, 82 plates, most of them beautifully coloured (pub. £9 12s.), 1845-55, in parts as issued, £4; or half ealf gilt, £4 10s.

ALDER (J.) On a Collection of Nudibranchiate Mollusca made in India by W. Elliot, with de-

scriptions of new genera and species, with 6 coloured plates, 4to., 1864, £1.

ALGERIA, Exploration Scientifique de l'Algerie (published by order of the French Government), the portion comprising the Mollusca, containing 25 plates (not consecutive) of finely coloured

figures of shells and their inhabitants, £1 8s. ALLMAN (C. J.) Monograph of the Fresh Water Polyzoa, including all the known species, 11

finely coloured plates, folio, half cloth boards, very scarce, £2 2s.

ALLMAN (Dr.) Monograph of the Gymnoblastic or Tubularian Hydroids, with 23 elaborate and beautifully engraved plates, finely coloured, besides woodcuts, 2 vols., folio, new, half calf, top edges gilt, Ray Society, 1871-2, £3 3s.

AMERICAN JOURNAL OF CONCHOLOGY, Edited by G. W. Tryon, jun., Vol. I., 13 plain plates, 14 coloured plates of shells, and 4 portraits, 8vo., pp. 388, half morocco, Philadelphia,

1865 (pub. £2 16s. in parts), £1 7s. AMERICAN JOURNAL OF CONCHOLOGY, Vol. II., 4 parts, pp. 8 and 394, 12 plain and 11

coloured plates of shells and portrait, 8vo., Philadelphia, 1866, £2 16s. No. 24. W. WESLEY, 28, ESSEX STREET,

BAIRD (W.) Natural History of the British Entomostraca, 36 plates, 8vo., cloth, rare, 1850, £. I 16s.

BARBUT (J.) Genera Vermium, Part II., Exemplified in the Orders of the Testacea and Zoophyta, with descriptions in English and French, imperial 4to., illustrated with 13 coloured

plates, large paper, russia gilt, a fine copy, 1788, 14s. 6d.

BARRANDE (Joachim) Palæontological Papers: I. Réapparition du Genre Arethusina Barr, 1 plate; II. Faune Silurienne des Environs de Hof, in Baviere, 1 plate; in 1 part, 8vo., 1868.

—Défense des Colonies, Étude Générale sur Nos Étages G.H., avec application spéciale aux environs de Hlubocep, Près Prague, large coloured map and section, 8vo., 1865.—Céphalopodes Siluriens de la Bohème, 8vo., 1867-together 3 parts, 8vo., sewed, Prague, 1865-68,

BARRANDE (Joachim) Distribution des Céphalopodes dans les Contrées Siluriennes, royal 8vo.

served, 1870, 8s. 6d.

BATE (C. Spence) and WESTWOOD (J. 0.) History of the British Sessile-Eyed Crustacea (Edriophthalma), with 500 illustrations, 2 vols., 8vo., cloth, 1863-69, £2 10s.

BASTEROT (B. de) Description des Coquilles Fossiles des Environs de Bordeaux, with 7 plates,

4to., Paris, 1825, 18s. 6d.

BELL (T.) Natural History of the British Stalk-Eyed Crustacea, with 174 illustrations, 8vo.,

cloth, 1853, £1 Is. 6d. BELL (Prof.) History of British Stalk-Eyed Crustacea, illustrated by 174 fine woodcuts, royal

8vo., half morocco, gilt edges, large paper, scarce, 1853 (pub. £2 10s.), £2 2s.

BENSON (W. H.) Diagnoses of New Species of Mollusca from India, Burmah, Ceylon, S. and

W. Africa, etc., 31 memoirs, with 2 plates, 8vo., 1856-65, £1 10s.

BINNEY, BLAND, and TRYON, Land and Freshwater Shells of North America, with 1876 wood engravings, 4 vols., royal 8vo., Wash., 1865-74, £1 12s. 6d.
BINNEY (W. G.) and BLAND (T.) Land and Freshwater Shells of North America, Part

- I., Pulmonata Geophila, 316 pages, 544 wood engravings, 8vo., Washington, U.S., 1869,
- BINNEY (W. G.) Land and Freshwater Shells of North America, Part II., Pulmonata, Limnophila, Thalassophila, 161 pages, 261 wood engravings, 8vo., Washington, 1865, 6s. 3d.
- BINNEY (W. G.) Land and Freshwater Shells of North America, Part III., Ampullaridæ, Valvatidæ, Viviparidæ, Freshwater Rissoidæ, etc., 120 pages, 232 wood engravings, 8vo., Washington, 1865, 5s.

For Part IV., Strepomatidæ, see "Tryon."

BINNEY (A.) The Terrestrial Air-Breathing Mollusks of the United States, edited by A. Gould, with Supplement by W. G. Binney, with 110 coloured plates, 4 vols., royal 8vo., cloth, Boston,

BINNEY (W. G.) Supplement to the "Terrestrial Mollusks of the United States, by Dr. Amos Binney," 207 pages, and 6 plates, 8vo., Boston, 1859, 10s.

BINNEY (W. G.) Bibliography of North American Conchology previous to 1860, 2 vols., Svo.,

Washington, 1863-64, £1 4s.

BLAINVILLE (Duerotay de) Manuel de Malacologie et de Conchyliologie, illustrated with 87 plates, containing several hundred finely coloured figures of shells, 2 vols., 8vo., calf very neat, 1825 (pub. £4), £2 12s. 6d.

Another copy, the plates plain, 2 vols., 8vo., half calf neat, Paris, 1825, £1.

BLAINVILLE (Prof.) Manuel d'Actinologie ou de Zoophytologie, 100 fine plates, containing many hundred figures, 2 vols., 8vo., half calf, 1834, £1.

BLAND and COOPER, Papers on North American Helicidae, illustrations, Svo., half calf, New

York, 1862, 17s. 6d.

BOURGUIGNAT (J. R.) Aménités Malacologiques, with 45 plates, 2 vols., Svo., Paris, 1856-60, £,2 10s.

BOURGUIGNAT (J. R.) Malacologie terr. et fluv. de la Bretagne, with 2 plates, 8vo., half morocco, Paris, 1860, 18s. 6d.

BOURGUIGNAT (J. R.) Spicilèges malacologiques, with 15 plates, plain and coloured, Paris, 1860-62, £1 8s. 6d.

BOURGUIGNAT (J. R.) Malacologie de l'Algerie, Histoire naturelle complète des mollusques recueillis au nord de l'Afrique, with 60 plates, 2 vols., 4to., Paris, 1863-4, £6 18s. 6d.

BOURGUIGNAT (J. R.) Mollusques nouveaux, litigieux ou peu connus, 12 numbers (all published), 49 plates, some coloured, royal 8vo., Paris, 1863-70, £2 10s.

BOURGUIGNAT (J. R.) Catalogue des Mollusques des environs de Paris à l'époque quaternaire,

with 3 plates, 4to., Paris, 1868, 12s. 6d.

BOYS (W.) Collection of the Minute and Rare Shells discovered in the sand of the seashore near Sandwich, 3 large plates, containing 90 examples, accurately drawn as magnified, by G. Walker, with Descriptions, 4to., boards, 1784, 7s. 6d. STRAND, LONDON, No. 24.

BRITISH MUSEUM PUBLICATIONS-

Crustaceous Animals.

Catalogue of Crustacea, Part I., Leucosidæ, 12mo., 1855, 6d. Catalogue of the Specimens of Amphipodus Crustacea, plates, 8vo., 1863, £1 5s.

Catalogue of Myriapoda, Part I., Chilopoda, 12mo., 1856, 1s. 9d. Catalogue of the Collection of Mazatlan Shells, 12mo., sewed, 1857, 5s.

Catalogue of Mollusca, Parts I., II., and IV. (all published), 3 parts, 12mo., served, rare, 1849-53, 7s. 6d.

List of Crustacea, 12mo., 1847, 2s.

BROWN (T.) Conchologist's Text-Book, embracing the arrangements of Lamarck and Linnæus, with a Glossary of Technical Terms, illustrated by 19 engravings on steel, 4th edition, 12mo., boards, 1837 (pub. 15s.), 3s. 6d.

BROWN (Thomas) Elements of Conchology; or, Natural History of Shells, according to the Linnæan System, with Observations on Modern Arrangements, 9 plates, post 8vo., half calf,

BROWN (Thomas) Illustrations of the Conchology of Great Britain, 52 fine plates, containing many hundred figures of Shells, drawn and coloured from Nature, royal 4to., half cloth boards,

1827 (pub. £5 5s.), £1 18s.

BROWN (Thomas) Illustrations of Fossil Conchology, with Descriptions and Localities of all the Species, 3,520 figures on 116 coloured plates, thick royal 4to., half boards, uncut, 1842 (sells

BROWN (Thomas) Illustrations of the Recent Conchology of Great Britain and Ireland, drawn from Nature, with Descriptions of all Species, Marine, Land, and Freshwater, with 62 accurately coloured plates, containing 1,460 figures, royal 4to., half bound, uncut, 1845 (sells

BULLETINO MALACOLOGICO ITALIANO for 1868, 1869, 1870, 3 vols., 8vo., Pisa, 15s.

BURROW (Rev. E. I., A.M., F.L.S.), Elements of Conchology, according to the Linnean System, illustrated by 28 plates, drawn from Nature, 8vo., calf, 1815, 2s. 6d.

BURROW (Rev. E. I., A.M., F.L.S.), Elements of Conchology, 28 plates, 8vo., boards, 1818,

BOSC (C. M.) Histoire Naturelle des Coquilles, contenant leur description, leurs mœurs et leurs usages, 5 vols., with 49 plates, uncoloured figures, 12s.

The same, with coloured figures, 17s. 6d.

BOSC (M.) Histoire Naturelle des Vers, contenant leur description, leur mœurs et leurs usages, 3 vols., with 25 plates, uncoloured figures, 7s. 6d. The same, with coloured figures, 12s. 6d.

BOSC (M.) Histoire Naturelle des Crustacés, contenant leur description, leurs mœurs et leurs usages, 2 vols., with 19 plates, uncoloured figures, 5s. 6d.

The same, with coloured figures, 9s.

CARPENTER (Dr. W. B.) Introduction to the Study of the Foraminifera, 22 fine large plates, small folio, boards, rare, Ray Society, 1862, £3 3s.

CARPENTER (P. B.) The Mollusks of Western North America, 8vo., sewed, Washington, 1872,

CATLOW (Agnes) Conchologist's Nomenclator: A Catalogue of all the Recent Species of Shells,

assisted by Lovell Reeve 8vo., cloth, 1845, 7s. 6d.

CATLOW (Agnes) Popular Conchology; or, the Shell Cabinet arranged according to the Modern

System, numerous cuts, 8vo., cloth, 1854, 5s.

CHENU (J. C.) Bibliothèque Conchyliolog, cont. Montagu, Test. Britann.; Say, Conchyl. Améric.; Conrad, Coq. d'eau douce d. Etats-Unis.; Rafinesque, Coq. bivalves fluv. de l'Ohio; Leach, Mélanges zool. (partie chonchyl.); Partie conchyl. d. Transactions de la Soc. Linn, de Londres; together, 3 vols., 8vo., Paris, 1845-46, £2 2s. 6d. CHENU (J. C.) Leçons Élémentaires s. l'Histoire Naturelle des Animaux, Conchyliologie, with

wood engravings, and 12 coloured plates, Paris, 1847, 9s. 6d.

CHENU (J. C.) Manuel de Conchyliologie et de Paléontologie Conchyl., with about 5,000 engravings, a part of them coloured, 2 vols., royal 8vo., served, Paris, 1860-62, £1 12s. 6d. CLARK (W.) History of the British Marine Testaceous Mollusca, royal 8vo., cloth, 1855,

COCCONI (G.) Molluschi miocen. e. pliocenici di Parma e di Piacenza, with II plates, 4to., Bologna, 1873, £1 4s.

CONCHOLOGY (Quarterly Journal of) Containing Original Communications, Descriptions of new Species, Bibliography, &c., demy 8vo., Parts I. to IX., 6d. each; Part X., 1s.

CONCHYLIOLOGIE SYSTEMATIQUE, et Classification Méthodique des Coquilles, offrant leurs figures, leurs arrangement, generique, leurs descriptions caracteristique, leurs noms, &c., numerous illustrations, 2 vols., 8vo., calf neat, Paris, 1810, 6s. 6d. No. 24. W. WESLEY, 28, ESSEX STREET,

COSTA (E. M. da) Elements of Conchology; or, An Introduction to the Knowledge of Shells, 7 coloured plates, Svo., boards, 1776, 5s.

CROUCH (E. A.) An Illustrated Introduction to Lamarck's Conchology, contained in his Histoire Naturelle des Animaux sans Vertèbres, 32 fine plates, exhibiting several hundred figures. 4to., boards, 1826, 13s. 6d.

CUVIER (Baron) The Classes Annelida, Crustacea, and Arachnida, with Supplementary Additions to each Order, by Griffith and Pidgeon, numerous coloured plates, thick royal 8vo., new half morocco, stained, 1833, 10s. 6d.

CUVIER (Baron) Mollusca and Radiata, with Additions by Griffith and Pidgeon, illustrated with

60 plates, 8vo., boards, 1834 (pub. £, 1 16s.), 12s. 6d.

CUVIER (Baron) Règne Animal Mollusques, Zoophytes, Crustaces, Annelides, 51 plates, superbly coloured to illustrate the best edition of Cuvier, £1 10s.

DALL (W. H.) Catalogue of the Recent Species of the class Brachiopoda, 28 pp., 8vo., served, Philadelphia, 1873, 2s. 6d.

DALL (W. H.) Occasional Papers on the Mollusca, Crustacea, and Cetacea of the North-West

Coast of America, 2 plates, 8vo., sewed, Salem, Mass., 1871-73, 3s. **DALL (W. H.)** Scientific Results of the Exploration of Alaska by the parties under the charge of W. H. Dall, during the years 1865-74. Contents: Marine Faunal Regions of North Pacific, by W. H. Dall: Report on the Hydroids, by S. F. Clark; Extrusion of the Seminal Products in Limpets, Phyllogeny of the Docoglossa, by W. H. Dall, 10 plates, Syo., served, 1876, 6s. 6d.

DANA (J. D.) Crustacea of the United States Exploring Expedition during the years 1838-39-40-41, under the command of Charles Wilkes, described and figured by J. D. Dana, in 2 parts, 4to., Philadelphia, 1852-3, with the Atlas complete, in 96 engraved and partly-coloured plates, and 28 pp. of letterpress, large folio, half bound morocco, gilt top edges, 1855, scarce, Phila-

delphia, 1852-5, £31 10s.

DARWIN (C., F.R.S.) Monograph of Cirripedia, with 40 plates, 2 vols., 4to., 1851-4 (sells

£2 28.), £1 148.

DAVIDSON (T.) Monograph of the Brit. fossil Brachiopoda, with 179 plates (6,817 figures), 3 vols., with Supplement and Index, royal 4to., 1851-74, £15. DAVIDSON (T.) Introduction à l'Histoire Naturelle des Brachiopodes vivants et fossiles traduit

par E. Deslongchamps, with 9 plates, 4to., Caen, 1856, 15s.

DAVIDSON (T.) Classification d. Brachiopoden, Deutsch m. Zusätzen v. E. Suess, with 5 plates, 4to., Wien, 1856, 15s.

DAVIDSON (T.) Sur les genres et les sous-genres d. Brachiopodes munis d'appendices spiraux,

Traduit par L. de Koninck, 8vo., with 2 plates, Liége, 1859, 5s. DAVIDSON (T.) Monograph of the Carboniferous Brachiopoda of Scotland, with 5 plates, Svo.,

cloth, 1860, 10s. 6d.

DAVIDSON (T.) Silurian Brachiopoda of the Pentland Hills, with 3 plates, 4to., Glasgow, 1873, 7s. 6d. DENYS-MONTFORT, Histoire Naturelle Générale et Particulière des Mollusques, Animaux sans

Vertèbres, 72 planches, 6 vols. in 3, 8vo., half russia neat, 1802, 13s. 6d.

DESHAYES (G. P.) Anatomie et monographie du genre Dentale, 4 plates, 4to., Paris, 1826, 7s. 6d.

DÉSHAYES (G. P.) Mém. sur la Calyptrée, with plates, 8vo., Paris, 1824, 3s. 6d. DESHAYES (G. P.) Mém. sur l'histoire naturelle et l'anat. de div. genres de Mollusques. (Ongulines, Alvéolines, Rudistes, &c.) 2 plates, 6 parties, 8vo., Paris, 1828-43, 7s. 6d. DESHAYES (G. P.) Descript. des Coquilles caractérist. des terrains, 14 plates, 8vo., Paris, 1831,

DESHAYES (G. P.) Traité élém. de Conchyliologie (et de Paléontol. conchyl.), 2 vols. of text in 3 parts, with Atlas of 132 plates, beautifully coloured (all published, out of print), royal 8vo., Paris, 1839-47, £7 10s.

DESHAYES (G. P.) Le même ouvr., 2 vols. of text in 3 parts, with Atlas of 132 plain plates,

royal 4to., Paris, 1832-57, £4 5s.

DESHAYES (G. P.) Hist. natur. des Mollusques (faisant partie du Règne Animal de Cuvier), 4to., with Atlas of 222 plates, half morocco, Paris, 1850, £4 4s.

DESHAYES (G. P.) Description des animaux sans vertebres decouverts dans le bassin de Paris, 3 vols. of text with Atlas of 196 plates, royal 4to., boards, Paris, 1860-66, £11 10s.

DILLWYN (L. W.) A Descriptive Catalogue of Recent Shells, arranged according to the Linnæan Method, with particular attention to the Synonymy, 2 vols. in 4, 8vo., half calf, interleaved, 1817, 16s.

DONOVAN (E.) Natural History of British Shells, with Descriptions and Scientific and General Observations on each, 180 beautifully coloured plates, 5 vols. royal 8vo., russia gilt, 1799, £2 12s. 6d.

STRAND, LONDON.

DONOVAN (E.) Natural History of British Shells, 180 plates, containing many hundred figures of Shells, beautifully coloured, 5 vols., royal 8vo., half calf, 1804 (pub. £7 15s.), £2 12s. 6d.

DONOVAN (E.) Natural History of British Shells, illustrated by a series of 180 fine plates, containing many hundred figures of shells, beautifully coloured, with Descriptions, 5 vols., royal 8vo., boards, 1820 (pub. £7 15s.), £2 12s. 6d.

DONOVAN (E.) The Naturalist's Repository; or, Miscellany of Exotic Birds, Insects, Shells hitherto Unfigured, 180 coloured plates, complete in 5 vols., royal 8vo., cloth, London, 1834,

£6 18s, 6d.

DUNKER (G.) Index Molluscorum, quae in itinere ad Guineam Inferiorem collegit G. Tams, with 10 plates, 4to., Cassel, 1853, 12s. 6d. DUPUY (D.) Histoire Naturelle des Mollusques terrestres et d'eau douce qui vivent en France,

6 Fasc., with 31 plates, 4to., sewed, Paris, 1847-52, £1 17s. 6d.

DUJARDIN (M., Doyen de la Faculté des Sciences de Rennes) et HUPE (Aide-Naturaliste)

Echinodermes (Oursins, Palmettes, &c.), I vol. et I livr. de planches, fig noires, 12s. 6d. The same, with coloured plates, 16s. 6d.

DUJARDIN (M., Doyen de la Faculté des Sciences de Rennes) Helminthes, ou Vers intesti-

naux, I vol. et I livraison de planches, fig noires, 12s. 6d.

The same, with coloured plates, 16s. 6d.

DUJARDIN (M., Doyen de la Faculté des Sciences de Rennes) Infusoires (Animalcules micro-

scopiques), I vol., avec 2 livr. de planches, fig. noires, 16s. 6d.

The same, with coloured plates, £1 3s.

ELLIS (John, F.R.S.) Natural History of Corallines and other Marine Productions of the like-

kind, &c., 36 folding plates, 4to., vid calf, London, 1755, 17s. 6d. **ELLIS** (John, F. R.S.) Natural History of many Curious and Uncommon Zoophytes, collected from various parts of the Globe, systematically arranged and described by Dr. Solander, with 62 plates, illustrating the various kinds, 4to., old tree calf, neat, 1786, 15s.

FAVRE (E.) Description des Mollusques fossiles de la craie des environs de Lemberg, with 13. plates, 4to., Genève, 1869, £1 7s. 6d.

FERUSSAC (A. de) Histoire Naturelle des Mollusques terr. et fluv., with 162 plates, part of

them coloured, 2 vols., folio, Paris, 1819, £2 7s. 6d. FÉRUSSAC (A. de) Tableaux systémat. des animaux mollusques classés en fam. nat., folio, Paris,

1822, 7s. 6d. FÉRUSSAC (A. de) et DESHAYES (G. P.) Histoire Naturelle, générale et particulière, des Mollusques terrestres et fluviatiles, with 247 plates, 4 vols., royal 4to., half vellum, Paris, 1820-51, £ 10 10s.

FERUSSAC (Baron) Histoire Naturelle, générale et particulière des Mollusques—Pulmones sans. Opercule et Tableau de la Famille des Limacons, 47 fine plates, containing 320 beautifully

coloured figures of Shells, folio, boards, 1819 (pub. £3 10s.), £1 16s. FERUSSAC et d'ORBIGNY, Histoire Naturelle des Mollusques—Monographie Cephalopodes, Cryptodybranches, 8 livraisons—Acetabuliferes, 3 livraisons, illustrated with 100 most beautifully coloured plates, 11 parts, folio, in wrappers, Paris, 1844-5 (pub. £8 5s.), £2 12s. 6d. FISCHER et CROSSE (H.) Études sur les Mollusques terr. et fluv. du Mexique et de l'Amérique

Centrale, livr. 1 à 5, with 26 coloured plates, folio, Paris, 1870-74, £5..

FOLIN (L. de) Les Méliagrinicoles, espèces de Coquilles nouv. 6 plates, 8vo., Paris, 1868, 12s. 6d.

FORBES (E.) History of British Star-Fishes and other animals of the class Echinodermata, nume-

rous engravings, 8vo., 1841, 12s. 6d.

FORBES (E.) Monograph of the British Naked-Eyed Medusa, 13 plates, partly coloured, half

calf, 1848 (pub. £1 is.), 15s.
FORBES (E.) and HANLEY (S.) History of British Mollusca and their Shells, illustrated by nearly 200 fine plates, containing upwards of 1,000 beautifully coloured figures of Shells and their Inhabitants, 4 vols., royal Svo., cloth boards, large paper copy, 1853 (pub. £13), £II IIS.

FORBES (E.) and HANLEY (S.) History of British Mollusca and their Shells, with nearly 200 fine plates, containing many thousand figures by Sowerby, 4 vols., thick 8vo., half calf, 1853,

FROMENTEL (M. de) Études sur les Microzoaires ou Infusoires Proprements dits, avec planches et notes descriptives des espèces, par M. I. Jobard-Mutteau, royal 4to., with 80 plates, £1 10s. The same, with the plates coloured, £3.

GANTERER (U.) Die bisher bekannten oesterreichischen Charen, with 2 coloured plates, 4to.,

Wien, 1846, 5s.

GILL (T.) Arrangement of the Families of Mollusks, 49 pages, Svo., Washington, 1871, Is. 6d. No. 24.

W. Wesley, 28, Essex Street,

GOULD (A. A.) and BINNEY (W. G.) Report on the Invertebrata of Massachusetts, 2nd edition, comprising the Mollusca, with 12 coloured plates, and many woodcuts, royal 8vo., cloth, Boston, 1870, £, 1 15s.

GOULD (A. A.) Report on the Mollusca of Massachusetts, edited by W. G. Binney, 406 illustra-

tions, and 12 coloured plates, royal 8vo., cloth, Boston, 1870, £2 5s. GOSSE (P. H.) History of the British Sea-Anemones and Corals, with beautifully coloured figures

of the species and principal varieties, Svo., half calf extra, gilt edges, 1860, 18s. GRAY (J. E., F.R.S.) A Guide to the Systematic Distribution of the Mollusca in the British Museum, Part I., 230 pp., numerous woodcuts, 8vo., cloth, 1857, 5s.

GRAY (M. E.) Figures of Molluscous Animals (Anatomy), 5 vols., with 418 plates, 8vo., cloth, 1857-59, £3 10s.

GUALTIERI (N.) Index testarum conchyliorum quae adversantur in museo, with 110 plates, and 35 engravings, folio, half bound, Florent., 1742, £1 2s. 6d.

HAECKEL (E.) Arabische Korallen. D. Korallenbänke d. rothen Meeres u. d. Leben d. Korallenthiere, with 5 coloured plates, 4to., boards, Berl., 1876, 16s. 6d. HALDEMAN (S. S.) Monogr. of the Limniades or Freshwater Univalve Shells of N. America,

with 35 coloured plates, Parts I. to VII., 8vo., Philad., 1841-44, £2 17s. 6d. HANLEY (S.) Conchologist's Book of Species, containing 600 species of Univalves, with many

plates, 8vo., cloth, 1842, 5s.

HANLEY (Sylvanus) Illustrated and Descriptive Catalogue of Recent Bivalve Shells, illustrated with 960 coloured figures by Wood and Sowerby, 8vo., cloth, 1842-56, £1 Is. Forms an appendix to Wood's Index Testaceologicus.

HANLEY (S.) Ipsa Linnaei conchylia, Linne's Shells, determined from his MS. and collection, with a reprint of the Vermes test. of the Syst. Nat., with 5 coloured plates, royal Svo., cloth,

1855, £1 is. HANLEY (S.) Monograph of the Genus Tellina, with 12 plates, exhibiting many figures engraved by Sowerby (extracted from the Thesaurus Conchyliorum), imperial 8vo., half bound, 1846, 10s. 6d.

HANLEY (8.) and THEOBALD (W.) Conchelogia Indica: Illustrations of the Land and Fresh-

water Shells of British India, complete, 160 coloured plates, 4to., 1876, £8. **HARTING (J. E.)** Rambles in Search of Land and Freshwater Shells, with coloured illustrations, post 8vo., cloth, 1875, 6s. 6d.

HEUDE, Conchyliologie fluviat. de la Prov. de Nanking, with 16 plates, fasc. 1, 2, 4to., Paris,

HIDALGO (J. G.) Molluscos marinos de Espana, Portugal y las Baleares, with 60 coloured plates, fasc. 1-12 (all published), royal 8vo., Madrid, 1870-74, £5 7s. 6d. HINCK (F.) History of British Hydroid Zoophytes, illustrated by 67 plates, 2 vols., Svo., cloth,

1868, £1 17s. 6d. HORNES (M.) Die foss. Mollusken d. Tertiär-Beckens v. Wien, Beendet v. A. E. Reuss, with map and 137 plates, 2 vols., folio, Wien, 1851-70, £7 7s.

HUPÉ (H.) Mollusques et Zoophytes nouveaux ou rares, recueillis dans l'Amérique du Sud, par

F. Castelnau, 22 coloured plates, large 4to., Paris, 1857, £2 12s. 6d. HUXLEY (T. H.) A Manual of the Anatomy of Invertebrated Animals, nearly 200 woodcuts, 698 pp., thick 12mo., cloth, 1877, 16s.

JAHRBUCHER der Deutschen Malakozoologischen Gesellschaft nebst Nachrichtsblatt. Redigirt von Dr. W. Kobelt, for the fourth year, 1877, complete, 8vo., in parts, sewed, Frankfurt, 1877, £1 3s. 6d.

The following parts already published, the remainder supplied as soon as issued: Heft I., Jan., 96 pp. and I plate of 24 figures of shells; Heft II., April, 98 pp., 2 plain and I coloured

plates; Heft III., July, 1877, 81 pp., 3 plain and 1 coloured plates, and wood engravings. JAY (Dr. John C.) Catalogue of Shells, arranged according to the Lamarckian System, with their

Authorities, Synonyms, with Supplement of Additions and Corrections, 4to., boards, scarce, last edition, New York, 1852 (pub. £2 10s.), £1 10s.

JEFFREYS (J. G.) British Conchology, with 147 coloured plates, containing coloured figures of

all the species, 5 vols, 8vo., cloth, 1862-69, £4 12s. 6d.

The same work, with plain plates, £3 8s.

JOHNSTON, Introduction to Conchology, or Natural History of Molluscous Animals, 102 engravings on wood, thick 8vo., cloth, Van Voorst, 1850 (pub. £1 is.), 16s. JOHNSTON (Dr. G.) History of the British Zoophytes, illustrated with 74 plates, containing

several hundred figures, 2 vols., 8vo., cloth boards, last edition, 1847, £1 17s. 6d.

JOURNAL de CONCHYLIOLOGIE, comprenant l'Etudes des Animaux, des Coquilles vivantes et fossiles, publié par Petit de la Saussaye, Fischer, Bernardi et Crosse, Vol. I. to XXIII., 8vo., with nearly 300 fine plates, many of them coloured, half morocco, the last two in parts, Paris, 1850-75, £17 10s. STRAND, LONDON. No. 24.

KIENER (S. C.) Spécies Général et Iconographie des Coquilles vivantes, comprenant la Collection du Museum de Paris, &c., Soo fine plates, containing many thousand figures of Shells, beautifully coloured, 8 vols., royal 8vo., half calf neat, and some numbers, scarce, Paris, 1860 (pub. £28), £12 12s.

KIÈNER, Le Spécies Générale et Iconographie des Coquilles vivantes, continué par le Docteu.

Fischer, genre Turbo, with 43 plain and coloured plates, £2 10s.

KOCH (C. L.) Deutschlands Crustaccen, Myriapoden und Arachniden, herausgegeben von Dr. Herrich-Schäfer, livraisons 1-40 (all published), oblong 12mo., 951 carefully coloured plates, with descriptive text, 7 yols., half morocco, contents lettered, and a parcel of loose plates, Regensburg, 1835-44, £7 10s.

This copy has been arranged by a naturalist into classes of genera, with MS. titles to the ctions. It is, therefore, easy of reference. The unbound portion consists mainly of Scolosections.

pendra and Crustacea.

KOENEN (A. V.) Das marine Mitten-Oligocan Norddeutschlands und seine Mollusken-Fauna, 2 parts, with 7 plates, 4to., sewed, Cassel, 1867-68, £1 7s. 6d.

KROYER (H.) Monogr. af slaegten Sergeste (crustacca paras.), with 5 plates, 4to., Kjöbenhavn,

EROYER (H.) Bidrag til kundskab om Snyltekrebsene (symbolae ad historiam naturalem et anatomicam Crustaceorum parasiticorum), with 18 plates, 8vo., 1863, £1 4s.

LAMARCK (J. B. P. A. de) Histoire Naturelle des Animaux sans Vertèbres, deuxième edition, par MM. Deshayes et H. Milne Edwards, best edition, 11 vols. 8vo., half calf, 1835-45,

LAMOUROUX, Corallina; or, A Classical Arrangement of Flexible Coralline Polypidoms,

selected from the French of J. V. F. Lamouroux, 19 plates, 8vo., calf, 1824, 4s. 6d. **LAMOUROUX** (J.) Exposition Methodique des Genres de l'Ordre des Polypiers, 84 plates, con-

taining several hundred figures of Polypes, royal 4to., boards, 1821, 15s. 6d. LANKESTER (E. Ray, M.A., F.R.S., Fellow of Exeter College, Oxford) Contributions to the Developmental History of the Mollusca, 4to., 48 pages and 12 plates, stitched in verapper, IOS.

LATREILLE (P. A.) Genera Crustaceorum et Insectorum, 16 plates, 4 vols. in 2, Svo., half calf neat, 1806-9, 18s. 6d.

LEA (1.) Observations on the genus Unio, with descriptions of new species, anatomy and embryology of the family Unionidee, with 305 plates, of which 52 are coloured, 13 vols., and 3 parts

of index, royal 4to., Philadelphia, 1829-74, £26.

LEA (J.) Observations on the Genus Unio, new species of Melanida and Paludina, 26 large and beautifully executed plates, containing about 200 figures of shells, Vol. XII., royal 4to., Philadelphia (pub. £1 5s.), 12s. 6d. LEA (J.) Description of six new species of the genus Unio, with anatomical observations, with 4

coloured plates, 4to., Philadelphia, 1828, 7s. 6d.

LEA (J.) Observations on the genus Unio, with descriptions of 18 new species, and on the genus

Symphinota, with 12 coloured plates, 4to., Philadelphia, 1829, 15s.

LEA (J.) Descriptions of eight new genus of Naiades, and of eleven new species of Unio from the Rivers of the United States, with 8 coloured plates, 4to., Philadelphia, 1830, 13s. 6d. LEA (J.) Synopsis of the family of Naiades, with coloured plate, royal Svo., cloth, Philadelphia,

1836, 6s.

LEA(J.) Descriptions of forty-nine new species of Colimacea, with 2 plates, royal 4to., Philadelphia, 1840, 5s.

LEA (J.) Synopsis of the family of Naiades, 3rd edition, 4to., Philadelphia, 1852, 10s. 6d.

LEA (J.) Description of new species of Unionidae, Naiades, and Melanidae of North America, 77 small memoirs in 7 parts, 8vo., Philadelphia, 1856-68, 12s. 6d.

LEA (J.) New Unionidae, Melanidae, &c., chiefly of the United States, 3 parts, with 44 plates,

royal 4to., Philadelphia, 1866-69, £2 2s. 6d.

LEA (J.) Synopsis of the family Unionidae, 4th edition, with 41 plates, enlarged, 4to., Philadelphia, 1871, £1 5s.

LEACH (W. E.) Malacostraca Podophthalma Britanniæ; or, Descriptions of the British Species

of Crabs, Lobsters, Prawns, &c., illustrated with coloured figures of all the species, by James Sowerby, 19 parts, royal 4to., complete, 54 coloured plates, half morocco, 1815-20-75 (sells £8 8s.), £6 6s.
LEACH (W. E.) The same, large paper, 19 parts, imperial 4to., 54 coloured plates, half bound

morocco, 1815-20-75 (sells £12), £8 8s.

LEACH (W. E.) The same, Parts XVIII. to XIX., completing the work, 7 coloured plates,

royal 4to., 1875, £2 2s. LEACH (W. E.) The same, Parts XVIII. and XIX., 7 coloured plates, large paper, imperial 4to., 1875, £3 3s. No. 24. W. WESLEY, 28, ESSEX STREET,

LEYDIG (Frz.) Naturgeschichte d. Daphniden (Crustacea Cladocera), with 10 plates, 4to., half bound, Tübing., 1869, £,1 4s.

LISCHKE (C. E.) Japanische Meeres-Conchylien, with 37 coloured plates, 4to., 3 Thle., Cassel,

1869-75, £8.

LISTER (M.) Historia sive synopsis methodica Conchyliorum ad vivum delineatorum, 4 partes, 2 appendic., cum 1081 tab., folio, half bound, London, 1685 92, £2 10s. LOVELL (M. S.) Edible Mollusks of Great Britain and Ireland, and Modes of Cooking them, 12

coloured plates, crown Svo., cloth, 1867 (pub. 8s. 6d.), 6s. 6d.

LOWE (E. J., F.G.S.) Conchology of Nottingham: A History of the Recent Land and Freshwater Mollusca found in the neighbourhood, wood engravings, post 8vo., cloth, 1853, 3s. 6d.

MACGILLIVRAY (W.) Conchologists' Text-Book, embracing the arrangements of Lamarck and

Linnaeus, with Glossary, plates, 12mo., cloth (pub. 10s. 6d.), 4s. MACGILLIVRAY (W.) History of the Molluscous Animals of the Counties of Aberdeen, Kincardine, and Banff, with an Account of the Cirripedal Animals of the same district, 12mo., cloth, 1843, 10s. 6d.

MARTENS (E. v.) Zoologie d. Preuss. Expedition nach Ost-Asien; die Thierwelt v. Japan, Ostindien, etc., m. Beschreib. d. Wirbelthiere, with coloured plates, 4to., 2 Thle., Berlin,

MARTENS (E. v.) Landschnecken (Helices, etc.), gesamm. auf d. Preuss. Expedition nach

Ost-Asien, 22 plates, mostly coloured, 4to., Berlin, 1867, £1 7s. 6d.

MARTINI und CHEMNITZ, Neues Systematisches Conchylien-Cabinet, 11 vols. of text, with the 382 finely coloured plates, bound separately in 2 vols, together 13 vols., royal 4to., boards, uncut, Nürnberg, 1769-95, £.10.

MARTINI und CHEMNITZ, Systematisches Conchylien-Cabinet, Neue verb. Ausg. von C. II. Küster, unter Mitwirkung von Philippi, Pfeiffer, Römer und Dunker, with over 1,200 coloured

plates, 77 sections, Lieferung 1-250, 4to., Nürnberg, 1838-76, £62 15s.

MARTINI und CHEMNITZ. Systematisches Conchylien-Cabinet, 1769-1829, Neu herausg. und vervollständigt von C. H. Küster, unter Mitwirkung von Philippi, Pfeiffer, Römer und Dunker, comprising monographs of 40 Genera, illustrated by 605 coloured plates, 13 vols., royal 4to., boards, uncut, Nürnberg, 1837-57 (pub. at about £38 10s.), £20.

MARTINI und CHEMNITZ, Die Gattungen Delphinula, Scissurella und Globulus, in Abbildungen nach der Natur mit Beschreibungen von Dr. R. A. Philippi, with 14 plates, exhibiting

numerous finely coloured figures, 4to., boards, Nürnberg, 1853, 10s. 6d.

MARTINI und CHEMNITZ, Uber die Familie der Rissoiden, und insbesondere die Gattungen Rissoina und Rissoa, von G. Schwartz von Mohrenstern, with 15 fine plates, containing many figures (some coloured), 2 parts, 4to., I in half morocco, and I sewed, from Martini and Chemnitz, Wien, 1860-64, 15s.

MARTINI und CHEMNITZ, Systematisches Conchylien-Cabinet, in Verbindung mit Philippi, L. Pfeiffer, Dunker u. E. Römer neu herausgegeben und vervollständigt von H. E. Küster, nach dessen Tode fortgesetzt von W. Kobelt und H. C. Weinkauff, 257 u. 258 Lfg., 55 pp.,

4to., mit 12 color. steintaf, Nürnberg, 1877, £1 Is.

MAWE (John) The Linnaean System of Conchology, describing the Orders, Genera, and Species of Shells, arranged into Divisions and Families, with 36 beautifully coloured plates, 8vo., boards, 1823, 17s. 6d.

MENEGAZZI (L.) Malacologia Veronese, with 2 coloured plates, Svo., Verona. 1855, 15s.

MENKE und PFEIFFER Zeitschrift für Malakozoologie, Jahrgang I. to X., 1844-53; Malakozoologische Blätter, als Fortsetzung der Zeitschrift, Vols. I. to XXII., 1854-75; together 32 vols,, Svo., with many plates, some of the figures finely coloured, 22 vols. in 11, half calf, the rest in cloth and parts, rare, Cassel, 1844-75, £10.

MENKE und PFEIFFER, another set 1846 to 1865, 20 vols. in 10, 8vo., cloth, £4 10s.

METZGER (A.) Crustaceen und Mollusken von der Nordseefahrt der "Pommerania," 1872, Systematisches Verzeichniss nebst Beschreibung der neuen Arten, with I plate, folio, 1875, 6s. 6d.

MILNE-EDWARDS et LUCAS, Crustacés de l'Amérique méridion. rec. p. d'Orbigny, with 17

coloured plates, 4to., Paris, 1844, £2 7s. 6d.

MILNE-EDWARDS (H.) Histoire naturelle des Crustacés, 3 vols., with Atlas of 44 plates, 8vo., Paris, 1834-40, £1 15s.

The same work, with coloured plates, £2 7s. 6d.

MILNE-EDWARDS (H.) Recherches anat., phys. et zool, sur les Polypes, with 28 plates, I part (all published), 8vo., Paris, 1838, £1 4s.
MILNE-EDWARDS (H.) Observatt. s. les Ascidies composées des côtes de la Manche, 8 plates,

some coloured, 4to, Paris, 1842, £1,

MILNE-EDWARDS (H.) Sur quelques Crustacés nouveaux ou peu connus, with 8 plates, 4to., Paris, Arch. du Muséum, 1854, 15s. No. 24. STRAND, LONDON.

MILNE-EDWARDS (H.) Histoire naturelle des Coralliaires ou Polypes proprement dits, 3 vols., 8vo., with Atlas of 31 plates, Paris, 1857-60, £1 12s. 6d.

The same work, with coloured plates, £2 2s.

MILNE-EDWARDS (H.) Leçons sur la Physiologie et l'Anatomie comparée de l'homme et desanimaux, 11 vols., 8vo., Paris, 1857-75, £6 6s. MOITESSIER (P. A.) Histoire malacol. du départ. de l'Hérault, with 10 plates, Paris, 1868,

12s. od.

MOJSISOVICS (E. v.) Beitr. z. Kenntn. d. Cephalopoden-Fauna d. alpinen Muschelkalks, with 5 plates, Wien, 1869, 5s. 6d.
MOJSISOVICS (E. v.) Palaeontol. d. Gebirge um Hallstatt., I. Molluskenfauna d. Zlambach u.

Hallstätter Schichten, with 70 plates, 2 parts, folio, Wien, 1873-75, £5 5s.

MOJSISOVICS (E. v.) Ueb. d. triadischen Pelecypoden-Gattungen, Daonella u. Halobia, with 5

plates, 4to., Wien, 1874, 15s.

MONTAGU (George, F.L.S.) Testacea Britannica; or, Natural History of British Shells, Marine, Land, and Freshwater, including the most minute, systematically arranged and embellished with figures, 16 coloured plates, including more than 150 beautifully coloured figures of Shells, 2 vols., 4to., boards, 1803, £1 2s. 6d.

MOQUIN-TANDON (Å.) Histoire naturelle des Mollusques terr. et fluv. de France, 2 vols., with Atlas of 54 plates, 8vo., Paris, 1855, £2 2s. 6d.

The same work, with coloured plates, £3 3s.

MORELET (A.) Description des Mollusques terr. et fluviat. du Portugal, with 14 coloured plates,

8vo., Paris, 1845, 17s. 6d.

MORELET (Å.) Séries conchyliologiques (Énumér. de Moll. nouv. ou rares de l'Afrique occid., d. îles orient. de l'Afrique, etc.), with 17 coloured plates, 4 livrais., 8vo., Paris, 1859-75, £1 10s.

MORELET (A.) Not. s. l'hist. nat. des Açores, suiv. d'une descr. de Mollusques terr. de cet

Archipel., with 5 coloured plates, 8vo., Paris, 1860, 14s.

MORELET (A.) Mollusques terr. et fluv. de l'Afrique équinox., rec. p. Welwitsch en Angola et en Benguela, with map and 9 coloured plates, 4to., Dijon, 1868, £1.

PERRY (G.) Conchology: or, the Natural History of Shells, beautifully coloured, folio, half bound, uncut, 1811 (pub. £16 16s.), £1 10s.

PFEIFFER (L.) Monographia Heliceorum viventium, 7 vols., sewed, Lips., 1847-75, £5 15s.

PFEIFFER (L.) Die Gattungen Helix., with 50 coloured plates, 4to., Thl. 1-3, Nürnberg, 1846, £1 15s. PFEIFFER (L.) Monographia Pneumonopomorum viventium, acc. Suppl. I., II., III., p. 1-2,

8vo., Cassel, 1852-76, £1 18s.

PFEIFFER (L.) Novitates Conchologicae, Abbildungen und Beschreibungen neuer Conchylien, with 144 coloured plates, Abtheil. I., Land-Conchylien, Lief. 1-51, Cassel, 1855-76, £12 12s.

PFEIFFER (L.) Dieselben. Abtheil. II. Meeres-Conchylien, von W. Dunker, 16 Lief. ebend.,

with 48 coloured plates, 4to., 1858-71, £4 4s.

PHILIPPI (R. A.) Abbildung. u. Beschreibung neuer u. wenig bekannter Conchylien unter Mithülfe mehrerer deutscher Conchyliologen, hersg. mit Beiträgen v. Anton, v. M. Busch, Dunker, Jonas, Koch, Pfeiffer, Troschel, with 144 coloured plates, 3 vols., 4to., Cassel, 1842-51 (pub. £7 6s.), £4.

PRIME (Temple) Monograph of American Corbiculadae, 92 pp., 8vo., served, Washington, 1865,

6s. 6d.

QUATREFAGES (M. A. de) Histoire Naturelle des Annelés Marines et d'Eau Douce, 20 coloured plates, 2 vols. in 3, 8vo., sewed, Paris, 1865, £1 15s.

REEVE (L.) British Land and Freshwater Mollusks, plates, Svo., cloth, 1863, 7s. 6d.

REEVE (L.) Conchologia Iconica; or, Monographs of the Genera of Shells, including Latin and English Descriptions of all the Species known at the time of publication, with their synonyms and references, copious remarks on their characters, affinities, and circumstances of habitation, continued by G. B. Sowerby, with coloured figures of the natural size by Sowerby, Vols. I. to XIX. complete, 4to., 2,455 beautiful coloured plates, comprising above 20,000 figures, 1843-74 (pub. £166 8s.), £128.

REEVE (L.) Conchologia Systematica; or, Complete System of Conchology, illustrated by 300 plates, exhibiting several hundred figures, finely coloured, 2 thick vols., 4to., cloth,

1841, £8 8s.

REEVE (Lovell) Elements of Conchology, comprising the Physiological History of Shells and their Molluscous Inhabitants, their Structure, Geographical Distribution, Habits, &c., with 62 coloured plates, exhibiting many figures, by Sowerby, &c., 2 large vols., royal 8vo., cloth, 1860, £2 16s.

No. 24. W. Wesley, 28, Essex Street,

ROMER (E.) Monographie der Molluskengattung, Venus, Linné, 1-31, Lieferung, with 51 coloured plates, large 4to., sewed, Cassel, 1854-69, £8 12s. 6d.

ROSSMASSLER (E. A.) Iconographie des Land u. Süsswasser Mollusken, m. vorzügl. Berücksichtigung d. Europäischen noch nicht abgebild. Arten, with 90 coloured plates, 3 Bände in 18 Heften, Lex. 8vo., Dresden u. Leipzig, 1835-59, £6 12s.

ROUX (P.) Crustacés de la Mediterranée et de son Littoral, the first 9 parts, with 45 carefully

coloured plates, in wrappers, Paris, 1828-30 (pub. £3 1s.), £1 16s.

SANDBERGER (F.) Conchylien de Mainzer Tertiärbeckens, 35 plates, 4to., half bound, Wiesb.,

1860-63, £3 18s. SANDBERGER (F.) Die Land u. Süsswasser-Conchylien d. Vorwelt, with 34 plates, folio,

Wiesb., 1870-75, £6 5s. SARS, KOREN et DANIELSSEN, Fauna littoralis Norvegiae. Beschr. u. Abbild. neuer od. wenig bekannter Seethiere (Polypi, Holothur., Asterid., Mollusca), 2 parts, with 2 plates, folio, boards, Christiania u. Bergen, 1846-56, £,4 10s.

SCHMIDT (Adolf) Der Geschlechtsapparat der Stylommatophoren (Mollusca) in taxonomischer

Hinsicht, 14 plates, 4to., Berlin, 1855, 6s. 6d.

SCHROETER (J.) Einleitung in die Conchylienkenntniss, 9 coloured plates, 3 vols., 8vo., boards,

Halle, 1783-86 (pub. £2 2s.), 12s. 6d.

SHARPE (Daniel) Description of the Fossil Remains of Mollusca found in the Chalk of England. The Cephalopoda, Part I., Belemnites, Nautilus, Ammonites; Part II., Ammonites; Part III., Ammonites, Aptychus, Turrilites. The 3 parts complete, with 27 fine plates, royal 4to., clean, in original wrapper, 1850-56, 15s.

SOWERBY (G. B.) Catalogue of the Earl of Tankerville's Collection of Shells, with Appendix

of New Species, 26 large and finely coloured figures of Shells, on 9 plates, small 4to., boards,

1825, 8s. 6d.

SOWERBY (G. B.) Conchological Illustrations; or, Coloured Figures of the hitherto Unfigured Shells, complete in 200 parts, 8vo., comprising several thousand figures of Shells, all beautifully coloured, 1841-54 (pub. £15), £3 15s.

SOWERBY (G. B.) Conchological Manual, illustrated with 600 beautifully coloured figures of

Shells, 8vo., cloth, 1852 (pub. £2 2s.), £1 1s.

SOWERBY (G. B.) Genera of Recent and Fossil Shells, Nos. I. to XLII., in 2 vols., Svo. (all published), 264 plates, carefully coloured, half morocco, uncut, 1822 (pub. at £12 12s.),

£6 6s. This work has hitherto been useless to Conchological Students, for the want of an Index;

which is now supplied.

SOWERBY (G. B.) Illustrated Index of British Shells, containing figures of all the Recent Species, with names and other information, 24 large plates, containing several hundred coloured figures of Shells, imperial 8vo., cloth, gilt edges, 1859, £1 6s.

SOWERBY (G. B.) Popular British Conchology: a familiar History of the Molluscs inhabiting the British Isles, numerous coloured plates, square crown 8vo., cloth, 1854 (pub. at 10s. 6d.),

SOWERBY (G. B.) Thesaurus Conchyliorum; or, Monographs of Genera of Shells, with 189 plates, exhibiting many hundred figures of Shells, accurately engraved and beautifully coloured, 4 vols., imperial 8vo., half bound morocco, top edges gilt, 1847-55, £12 12s.

SOWERBY (J.) Mineral Conchology of Great Britain, complete, with general Index, and Sup-

plement by J. D. C. Sowerby, 7 vols., large 8vo., 648 finely coloured plates, with text, half bound morocco extra, gilt edges, 1812-46 (pub. £26), £16 16s.

SOWERBY (J.) Supplement to Mineral Conchology, text including the Alphabetical Index to the whole work, by J. D. C. Sowerby, and plates 610 to 648, completing the work, in parts as originally issued, royal 8vo., 1840-46 (sells £4 4s.), £3 3s.

STIMPSON (Dr. William) Researches upon the Hydrobiinae and Allied Forms, 59 pp., 29

woodcuts, 8vo., sewed, Washington, 1865, 2s. 6d.

STOLICZKA (F.) Fossil Cephalopoda Ammonitida of the Cretaceous Rocks of Southern India, with 70 plates, folio, half bound, Calcutta, 1866, £3 15s.

STOLICKZA (F.) Gastropoda of the Cretaceous Rocks of Southern India, with 28 plates, folio,

half calf, Calcutta, 1868, £2 12s. 6d.

STOLICZKA (F.) The Cretaceous Palecypoda of Southern India, with a synopsis of the recent and

fossil species, with 50 plates, royal 4to., half bound, Calcutta, 1872, £3 7s. 6d. SWAINSON and HANLEY, Exotic Conchology; or, Figures of Rare, Beautiful, or Undescribed Shells, 48 beautifully coloured plates, 4to., half morocco extra, gilt leaves, 1841 (pub. £4 4s.), £2 5s.

TABULAR View of the Orders and Leading Families of Myriapoda, Crustacea, Entozoa, etc., mounted on cloth, in case, small 4to., 6s. STRAND, LONDON. No. 24.

CONCHOLOGY.-ICHTHYOLOGY.

TREMBLY (A.) Memoires pour servir a l'Histoire d'un Genre de Polypes d'Eau Douce a Bras en

Forme de Cornes, 13 plates, 4to., calf neat, 1744, 15s.

TRYON (George W., Jun.) Land and Freshwater Shells of North America, Part IV., Strepomatidæ (American Melanians), 838 wood engravings, 435 pp., 8vo., sewed, Washington, Smithsonian Institution, 1873, 10s.

TRYON (G. W.) Monograph of the Freshwater Univalve Mollusca of the United States (Turbidae-Physadae), with 17 plates, 8vo., Philad., 1870, £1 is.

TRYON (G. W.) American Marine Conchology: the Shells of the Atlantic Coast, with 44

plates, royal 8vo., New York, 1875, £6 6s.

TRYON (G. W.) The same, with coloured plates, £7 7s.

TURTON (Dr. W.) Conchological Dictionary of the British Islands, 28 coloured plates of figures of Shells, with a duplicate set plain, small 8vo., large paper, calf, 1819, 12s. 6d.
TURTON (W.) The Bivalve Shells of the British Islands, systematically arranged, illustrated by 20 finely coloured plates, containing more than 200 figures, and 131 photographs of shells inserted in the text, 4to., cloth, 1848, £1 Is.

TURTON (W.) Manual of the Land and Freshwater Shells of the British Islands, with Additions by Dr. Gray, 12 fine coloured plates, containing figures of all the species, small 8vo., cloth

boards, last edition (pub. 15s.), 1857, 9s.

WHITE (A., F.L.S.,) British Crustacea, a Familiar Account of their Classification and Habits,

20 pp. of coloured plates, embracing 120 subjects, cloth, 5s.

WILLIAMSON (C. R. W.) On the Recent Foraminifera of Great Britain, with 7 plates, 204 figures, folio, sewed, Ray Society, 1857, £1 7s. 6d. WODARCH (C.) An Introduction to the Study of Conchology, describing the Orders, Genera,

and Species of Shells, with finely coloured plates, post 8vo., boards, 1820, 5s.

WOOD (W.) Catalogue of Shells, British and Foreign, coloured plates, post 8vo., half calf, 1818,

WOOD (W., F.L.S.,) General Conchology; or, a Description of Shells, arranged according to the Linnaan System, with 60 plates, containing 260 fine coloured figures of Univalves and Bivalves, accurately drawn and engraved from specimens only, a fine large vol., royal 8vo., half morocco extra, gilt leaves, 1835, £1 1s.

WOOD (W.) Index Testaceologicus: an Illustrated Catalogue of all known Shells, British and Foreign, new edition, thoroughly revised, by S. Hanley, with 3,000 figures, beautifully

coloured after Nature, royal 8vo., new half morocco, 1856 (pub. £3 13s. 6d.), £2 12s. 6d. W00DWARD (S. P.) Catalogue of the Fossil Crustacea in the British Museum, 8vo., sewed, 1877,

WOODWARD (S. P.) A Manual of the Mollusca: being a Treatise on Recent and Fossil Shells, with Appendix by Ralph Tate, A.L.S., with numerous plates, and 300 woodcuts, third edition, crown 8vo., cloth gilt, 7s. 6d.

ZITTEL (K. A.) Die Bivalven der Gosaugebilde in d. nordöstl. Alpen, 2 parts, with 27 plates, 4to., Wien, 1865-69, £2 12s. 6d.

ZITTEL (K. A.) Cephalopoden d. Stramberger Schichten, with 24 plates, folio, boards, Stuttg.,

1868, £1 7s. 6d.

ZITTEL (K. A.) Die Fauna d. alteren Cephalopoden führenden Tithonbildgn, 4to., and an Atlas of 15 plates, folio, Cassel, 1870-72, £2 5s.

ICHTHYOLOGY.

AGASSIZ (L.) Histoire Naturelle des Poissons d'Eau Douce de l'Europe centrale-Livrn. I., Salmo and Thymallus, folio, with 27 plates, 1839 (pub. 75 francs).

Livrn. II., Embriologie des Salmones, par Vogt, I vol., royal Svo., and 14 plates in folio,

1842 (pub. 36 francs).

Livrn II. bis., Anatomie des Salmones, folio, II plates (pub. 30 francs). - Together 52 remarkably fine plates, many of them elaborately coloured and heightened with silver, half morocco,

top edges gilt, 1839-42, £4 4s.

AGASSIZ (L.) Recherches sur les Poissons Fossiles, comprenant la description de 500 espèces qui n'existent plus, l'exposition des loix de la succession et du développement organique de poissons durant toutes les métamorphoses du globe terrestre, une nouvelle classification de ces animaux . . . enfin, des considérations géologiques générales tirées de l'étude des fossiles, 5 vols., royal 4to., of Text, and 18 livraisons, also one of "Dix planches de Squelettes," and one more of "Planches omises," containing in all 384 plates, many of them in tints, Neuchatel, aux frais de l'auteur, 1833-44 (pub. 648 francs), £20.

No. 24 W. WESLEY, 28, ESSEX STREET,

ICHTHYOLOGY.

CONTENTS: Tome I. Introduction et toutes les questions générales, anatomiques, zoologiques et géologiques ; Tomes II. and III. Histoire de l'Ordre des Placoides ; Tome IV. Histoire de l'Ordre des Ctenoïdes; Tome V. Histoire de l'Ordre des Cycloïdes.

AGASSIZ (L.) Monographie des Poissons Fossiles du Système Dévonien (Old Red Sandstone. vieux Grès Rouge), Livraisons I and 2, folio, the 26 plates only, mostly coloured, without text,

Neuchatel, 1844 (pub. 50 francs), 9s. The work is complete in 3 parts, 43 plates.

BAIRD (Spencer F.) United States Commission of Fish and Fisheries, Part I., Report on the Condition of the Sea Fisheries of the South Coast of New England in 1871 and 1872, with Supplementary Papers, 8vo., 852 pp., 38 pages of illustrations and 3 maps, Washington,

Government Printing Office, 1873.

The Americans, like ourselves, having suffered from a diminution in the supply of food-fishes. the Government appointed a commissioner, the Assistant Secretary of the Smithsonion Institution, to undertake a special scientific investigation. The result of his inquiries are before us in the present volume. It contains an elaborate account of all that relates to the subject: the natural history of the fishes, their food supply, habits, breeding grounds, methods of culture, and numerous facts relating to the subject under inquiry. The testimonies of some of the early colonists to the extraordinary abundance of fish at a former period are very interesting.

BERTRAM (J. G.) Harvest of the Sea: An Account of British Food Fishes, 50 illustrations, 8vo.,

new (pub. £1 is.), 7s. 6d.

BENNETT (J. W.) Selection of Rare and Curious Fishes of Ceylon, 30 beautifully coloured plates,

from living specimens, 4to., half morocco, 1834 (pub. £6 6s.), £1 10s.

BLOCK, Histoire Naturelle des Poissons, avec des figures dessinées d'après nature. Ouvrage classé par ordres, genres et espèces, d'après le système de Linné, avec les caractères génériques, par Réné Richard Castel, 10 vols. accompagnés de 160 planches, uncoloured figures, £1 10s. The same, with coloured figures, £2 10s.

RLEEKER (P.) Mémoire sur les poissons de la côte de Guinée, av. 28 planches col., 4to., cart.

Haarlem, 1863, 16s,

BLEEKER (P.) Verhandelingen van het Batavia'sche Genootschap, vorzügl. werthvolle Schriften über Indische Fische, Parts 24 to 26, with many coloured plates, 4to., Batav., 1849-57,

BOWERBANK (J. S.) Monograph of the British Spongiadæ, with 37 plates, comprising 381

figures, 2 vols., 8vo., half calf extra, top edges gilt, Ray Society, 1864-66, £1 5s.

BUCKLAND (F. T.) Fish-Hatching, 8vo., cloth, 3s. 6d.

BUCKLAND (F.) Log-Book of a Fisherman, 8vo., cloth (pub. 12s.), 6s.

CAMPBELL (J. F. (Life in Normandy: Sketches of French Fishing, Farming, Cooking, Natural

History, and Politics, crown 8vo., cloth, 1865, 4s. 6d.

COUCH (J.) Fishes of the British Islands, with 183 coloured engravings, comprising accurate figures of Fishes, from drawings by the author, with scientific and popular descriptions, 4 fine large vols., imperial 8vo., new cloth, 1877, £2 17s. 6d. The same work, new half morocco extra, gilt leaves, 1877, £3 18s.

CUVIER (M. F.) Cétacés, Baleines, Dauphins, etc., ou Recueil et examen des faits dont se compose l'histoire, de des animaux (par M. F. Cuvier, membre de l'Institut, professeur au Muséum

d'Histoire naturelle), I vol. et 2 livraisons de planches, uncoloured figures, 15s.

The same, with coloured figures, £1 5s.
CUVIER (Baron) et VALENCIENNES, Histoire Naturelle des Poissons, numerous plates, 22 vols., 8vo., 15 vols. half calf, and 7 vols. unbound, Paris, 1822, £5.

DAVY (Sir H.) Salmonia; or, Days of Fly-Fishing, numerous steel plates, 12mo., morocco gill,

1832, 5s.

DAY (F.) Fishes of India: being a Natural History of the Fishes known to inhabit the Seas and Fresh Waters of India, Burma, and Ceylon, with Descriptions of the Sub-Classes, Orders, Families, Genera, and Species, 1875, £12 12s.

The whole work will consist of about 600 pp. of letterpress, and, irrespective of woodcuts,

probably 160 plates by Ford, illustrating about 800 species.

No part is sold separately; the buyer takes the whole. No extra charge will be made to the

subscribers should the author consider it necessary to extend the work.

DAY (F.) Fishes of Malabar, with 20 plates by the Author, cloth, royal 4to., 1865 (sells £2 2s.),

DONOVAN (J.) Natural History of the British Islands, complete—The Fishes, 5 vols.; Shells, 5 vols.; Birds, 10 vols.; Insects, 16 vols.; and Quadrupeds, 3 vols.; 1,400 plates, finely coloured by Donovan, 39 vols., royal 8vo., bound in 21 vols., elegantly half bound green morocco, gilt leaves, 1792-1834 (pub. £66), £24.

DUMERIL (A., Professeur au Muséum d'Histoire naturelle, Professeur agrégé libre à la Faculté de Médecine de Paris), Poissons, Tomes I. et II., en 3 vol., et 2 livr. de planches, uncoloured figures, £1 10s. The same, with coloured figures, £1 17s. 6d. In course of publication.

STRAND, LONDON

ICHTHYOLOGY.

FIGUIER (L.) The Ocean World: being a Description of the Sea and some of its Inhabitants.

new edition, revised by E. P. Wright, with 435 illustrations, crown 8vo., cloth, 7s. **FLOWER** (W. H.) Recent Memoirs on the Cetacea, by Eschricht, Reinhardt, and Lillejeborg, 6

plates, 1866, 12s. FRANCIS (F.) Fish Culture: a Practical Guide to the Modern System of Breeding and Rearing

Fish, 3s FORBES (Prof. E.) History of British Star-Fishes and other Echinodermata Animals, 115 wood-

cuts, 8vo., half calf neat, 1841 (pub. 15s.), 11s.

FORESTER (F.) Fish and Fishing of the United States and North America, 8vo., cloth, plates, 1849, 5s. 6d. GIRARD, Contributions to the Natural History of the Freshwater Fishes of North America, I.,

A Monograph of the Cottoids, with 3 plates, 4to., sewed, Washington, 1851, 6s.

GOSSE (P. H.) A Year at the Sea-Shore, with 36 coloured illustrations, crown 8vo., cloth, 1865, 7s. 6d. GOSSE (P. H.) The Aquarium: an Unveiling of the Wonders of the Deep, 6 plates coloured,

fcap. 8vo., cloth, 1854 (pub. 16s.), 10s. 6d

GOSSE (P. H.) History of British Sea Anemones and Corals, 12 fine coloured plates, 8vo., half

calf neat, 1860 (pub. f. 1 1s.), 12s. 6d.

GOSSE (P. H.) The Ocean, with numerous illustrations, post 8vo., rloth, 1849 (pub. 7s. 6d.), 4s. GREEN (Seth) Trout Culture, portrait and illustrations, 8vo., paper, 90 pp., Caledonia (New York), 7s.

GUNTHER (Dr. Albert) Catalogue of the Fishes in the Collection of the British Museum, wood

engravings, complete, 8 vols., 8vo., cloth, 1859-70 (pub. £3 10s.), £2 10s.

CONTENTS: Vol. I. Gasterosteidæ, Berycidæ, Percidæ, Aphredoderidæ, Pristipomatidæ, Mullidæ, Sparidæ; Vol. II. Squamipinnes Cirrhitidæ, Trigilidæ, Trachinidæ, Scloenidæ, Polynemidæ, Sphyrænidæ, Trichiuridæ, Scombridæ, Carangidæ, Niphidæ; Vol. III. Gobüdæ, Discoboli, &c.; 29 families, and 1,168 species are described in this volume alone; Vol. IV., "The total number of species in this volume amounts to 1,090," Vol. V. Physostomi, total number of species in Vol. V., 1,005; Vol. VI. Physostomi, 548 species; Vol. VII. Physostomi, 1,281 species; Vol. VIII. Physostomi, 4,461 specimens enumerated.

HANSARD (G. A.) Trout and Salmon Fishing in Wales, cloth, 1834, 4s.

HECKEL und KNER, Susswasser Fische der Ostreichischen Monarchie mit Ricksicht auf die Angrâmzenden Lander, 204 woodcuts of Fishes, royal 8vo., served, 1858 (pub. £14s.), 15s.

HERBERT (H. W.) Frank Forester's Fish and Fishing in the United States and British Provinces of North America, numerous illustrations, new edition, with Supplement and Treatise on Fly-Fishing, by "Dinks," thick 8vo., cloth, New York, 1866, 10s.

HOLBROOK (J. E.) Ichthyology of South Carolina, Vol. I. (all published), with 28 beautifully coloured plates, 4to., sewed, uncut, Charleston, 1860, £3.

JONES (T. R.) Aquarian Naturalist: A Manual for the Seaside, coloured plates, 8vo., cloth, 1858 (pub. 18s.), 8s. 6d.

KAUP (Dr.) Catalogue of Apodal Fish, 19 plates, cloth, 1856 (sells 10s.), 6s.

KING (Major W. Ross) The Sportsman and Naturalist in Canada; or, Notes on the Natural History of the Game, Game Birds, and Fish of that Country, illustrated with coloured plates and woodcuts, royal 8vo., cloth gilt, 1866, 12s. 6d.

KINGSLEY (Rev. Chas.) Glaucus; or, the Wonders of the Shore, 12 coloured plates, 4th edition, enlarged, small 8vo., cloth, Cambridge, 1859, 5s.

LEE (H.) Aquarium Notes, The Octopus, or Devil Fish, 3s.

LOW (Rev. G.) Fauna Orcadensis; or, the Natural History of Birds, Reptiles, and Fishes of

Orkney and Shetland, 4to., boards, uncut, scarce, 1815, 12s. 6d.

LOWE (R. T.) Fishes of Madeira, with original figures from Nature of all the Species, by the Hon C. E. C. Norton and Mr. Young, in 5 parts (all published), containing Introduction, 16 pp., and descriptive letterpress, 196 pp., with 28 lithographed plates, in I vol., royal Svo., half bound, uncut, 1843-60 (pub. £1 1s.), 12s. The same, with 19 of the 28 plates, coloured, royal 8vo, half morocco, £1 15s.

MAURY (Commander) Physical Geography of the Sea and its Meteorology, being a Reconstruction and Enlargement of his former Work, with illustrative Charts and Diagrams, new edition, crown 8vo., cloth, 6s.

MILFORD (J.) Norway and her Laplanders in 1841, with Hints to the Salmon Fisher, Svo.,

MILLER, Natural History of the Crinoidea, or Lily-Shaped Animals, 50 coloured plates, 4to.,

half calf, neat, Bristol, 1821, £1 15s.
MITCHEL (J. M.) The Herring: Its Natural History and National Importance, with 6 illustra-

tions, 8vo., cloth, 1864 (pub. 12s.), 6s.

NORRIS (T.) American Fish Culture: embracing all the details of Artificial Breeding and Rearing of Trout, the Culture of Salmon, Shad, and other Fishes, 12mo., illustrated, New York, 9s. No. 24. W. Wesley, 28, Essex Street.

ICHTHYOLOGY.—REPTILIA.

NORTH (Hon Roger) Treatise on Fish and Fish Ponds, illustrated with 18 beautifully coloured

specimens, by Ebenezer Albin, 4to., half morocco, £1 4s. **OWEN** (**Prof. R.**) Anatomy of Vertebrates, Fishes, Reptiles, Birds, Mammals, upwards of 1,200

woodcuts, 3 stout vols., 8vo., cloth boards, 1866-68, £3 2s. 6d.

PEARD (Dr. William) Practical Water Farming: A Treatise on the Profitable Breeding of Fish,

crown 8vo., cloth, 1868, 3s. RICHARDSON (J. R., M.D., F.R.S.) Ichthyology of the Seas of China and Japan, 133 pp.,

8vo., sewed, 1846, 3s. 6d. RUSSELL (A.) The Salmon: its Natural History, Value, Decay, Legislation, Future Legislation,

Non-Legislative Remedies, 8vo., new cloth, Edinburgh, 1864 (pub. 7s. 6d.), 5s. SALMON FISHING in Canada by a Resident, edited by Col. Sir J. Alexander, plates, 8vo.,

cloth, 1860, 5s.

SLOANE (H.) A Voyage to the Islands Madeira, Barbados, Nieves, S. Christophers, and Jamaica, with the Natural History of the Herbs and Trees, Four-footed Beasts, Fishes, Birds, Insects, Reptiles, etc., of the last of those Islands, 2 vols., with a map, and 284 copper-plates. folio, vellum, printed for the author, London, 1707-25, £5 5s.

SOWERBY (G. B., F L.S.) The Aquarium : a popular account of Marine and Freshwater Animals

and Plants, with 20 pp. of coloured illustrations, cloth new, 5s.

SPIX (J.) Selecta genera et species Piscium, quos in itinere per Brasil coll., commentario ill. L. Agassiz, et praefatus est Martius, C. eff. autoris with 96 coloured plates, folio, sewed, uncut, Mon., 1829-31 (pub. £16 8s.), £11.

SPIX (J.) Testacea fluviatilia, quae in Itinere per Brasiliam collegit, illustr. J. A. Wagner, ed. F. a P. de Schrank et C. F. P. de Martius, with 29 coloured plates, folio, half bound, Mon.,

1827 (pub. £3 15s.), £1 17s. 6d.

SPIX (J.) Delectus animalium articulatorum, quae in itinere per Brasiliam collegerunt Spix et Martius, cum commentario M. Perty, et praefatione C. F. P. de Martii. Acc. diss. de insectorum in America meridionali habitantium vitae genere, moribus et distribut. geograph, with 40 coloured plates, folio, served, uncut, Mon., 1830-34, £7 7s.

WALTON and COTTON, Complete Angler, Major's beautiful edition, illustrated with numerous

plates and woodcuts, portraits, 12mo., calf. scarce, 1823, 15s.

YARRELL, History of British Fishes, illustrated with 500 beautiful engravings on wood, fine impressions, 2 vols., 8vo., cloth, uncut, Van Voorst, 1841, £2 10s.

YARRELL (W.) History of British Fishes, with the 2 Supplements, with nearly 400 beautiful

engravings on wood, finest impressions, 2 vols., royal 8vo., large paper, half russia, Van Voorst, 1836-9, £10 10s.

YOUNG (L. J. H.) Sea Fishing as a Sport : an Account of the various kinds of Sea Fish, How, When, and Where to Catch them, illustrated, cloth, 1865, 4s.

REPTILIA.

BAIRD (S. F.) and GIRARD (C.) Catalogue of North America Reptiles in Smithsonian Institution, Part I., Serpents, 8vo., served, Washington, 1853, 5s.

BEAGLE (Zoology of the Voyage of the) under the command of Captain Fitzroy, edited by C

Darwin, 1832-36. Reptiles, by T. Bell, 20 plates, royal 4to., 1843, £2 16s.

BELL (Prof. T.) History of British Reptiles, illustrated by more than 40 fine woodcuts, 8vo.,

cloth boards, 1839, 7s. 6d. DUMERIL (A. M. C.) et BIBRON (G.) Erpétologie Générale ou Histoire Naturelle complète des Reptiles, portrait, and 108 coloured plates, 9 vols. in 10 parts, Svo., sewed, Paris, 1834-54, £,6 17s. 6d.

ELLIS (J.) and SOLANDER (D.) The Natural History of many Curious and Uncommon Zoo-

phytes, with 62 very finely engraved plates, 4to., calf, 1786, 15s.

FAYRER (Sir Joseph, M.D., K.S.I.) The Thanatophidia of India: being a Description of the Venomous Snakes of the Indian Peninsula, with an account of the Influence of their Poison on Life, and a Series of Experiments, second edition, with 31 plates (28 coloured), folio, 1873, £7 79

FIGUIER (L.) Reptiles and Birds: a Popular Account of their Various Orders, with a Description of the Habits and Economy of the most interesting, illustrated with 307 woodcuts, 8vo.,

cloth, 145.

GRAY, Catalogue of the Shield Reptiles, Part I. and Supplement (Testitudinata), 42 plates, besides numerous woodcuts, 2 vols., royal 4to., boards, 1855-70 (sells £3), £2.

GUNTHER, Catalogue of Colubrine Snakes, 12mo., served, 1858, 3s.

. GUNTHER, Catalogue of the Batrachia Salientia, Svo., half bound, 1858, 5s. 6d. GUNTHER, Reptiles of British India, 26 fine plates, containing 100 figures, folio, sewed, 1864,

£2. STRAND, LONDON.

REPTILIA.

LACEPEDE (Cte. de) Oeuvres, comprenant l'Histoire Naturelle de Quadrupèdes Ovipares, des-Serpents, des Poissons et des Cétacés, with 163 plates, 12 vols., 8vo., vols. I to 4 half morocco, vols. 5 to 12 served, Paris, 1830-33, £1 10s.

LACEPEDE (Cte. de) Histoire Naturelle des Quadrupèdes Ovipares et des Serpens, with many

plates, 4to., half bound, Paris, 1788-89, 17s. 6d.

LEIDY (J.) The Ancient Fauna of Nebraska; or, a Description of Remains of Extinct Mammalia and Chelonia, from the Mauvaises Terres of Nebraska, with map and 24 plates, 4to., boards, Washington, 1853, 15s.

MAYER (F. J. C.) Uber d. Ei d. Vögel u. d. Reptilien, with 4 coloured plates, 4to., served,

Dresden, 1865, 8s. 6d.

MITCHELL (S. W.) On the Venom of the Rattlesnake, 156 pp., 12 woodcuts, royal 4to., served,

Washington, 1860, 9s.

MITCHELL (S. W.) and MOREHOUSE (G. R.) Researches upon the Anatomy and Physiology of Respiration in the Chelonia (Turtles), S fine wood engravings, 42 pp., royal 4to., served, Washington, 1863, 5s.

OWEN (Rev. Dr.) Essay on the Natural History of Serpents, 6 plates, 4to., half russia neat,

1742, 6s. 6d.

RUSSELL (P.) Account of Indian Serpents, collected on the Coast of Coromandel, with Remarks on their Poisons, etc., portrait, and nearly 100 fine large coloured engravings, 2 vols., imperial folio, new half morocco gill, a fine copy, 1796-1801, £8 Ss.

SCHLEGEL (H.) Abbildungen neuer v. unvollständig bekannter Amphibien, m. erläut, texte

begleitet, with 50 coloured plates, folio, boards, Düsseldorf, 1837-44, £1 10s.

SCHLEGEL (H.) Essai sur la physionomie des Serpens, 2 vols., 8vo., and Atlas of 21 plates and 3 maps, 4to., sewed, Amsterdam, 1837, 17s. 6d.

SONNINI and LATREILLE, Histoire Naturelle des Reptiles, avec des figures dessinées d'après nature, 4 vols., accompagnés de 54 planches, uncoloured figures, 11s. 6d. The same, with coloured figures, £1.

SOWERBY (J. C., F.L.S.) Tortoises, Terrapins, and Turtles: a series of 60 beautifully coloured plates, drawn from life; lithographed by Edward Lear, with short Descriptive Notices by Dr. J. E. Gray, imperial 4to., half morocco, gilt top, £4 10s.

SPIX (J.) Simiarum et Vespertilionum Brasiliensium species novae, with 38 coloured plates, text

in French and Latin, folio, boards, Monachii, 1823 (pub. £8 8s.), £3 12s. 6d. SPIX (J.) Species novae Lacertarum quas in itinere per Brasiliam collegit., Curav. C. F. P. de Martius, with 30 coloured plates, Monachii, 1840; Species novae Ranarum quas in itinere per Brasiliam collegit, with 22 coloured plates, Monachii, 1824; Species novae Testudinum quas in itinere per Brasiliam collegit, with 17 coloured plates, folio, half morocco, Monachii, 1824

(pub. £, 12), £6 6s. SPIX (J.) Species novae Lacertarum quas in itinere per Brasiliam collegit. curav. C. F. P. de

Martius, with 30 coloured plates, folio, sewed, uncut, Monachii, 1840, £3 10s.

SPIX (J.) et AGASSIZ (L.) Species novae Testudinum quas in itinere an. 1817-20, per Brasiliam suscepto colleg. et descript., denuo emend. Ph. Martius edit sec., with 17 coloured plates, 4to., sewed, Monachii, 1840, £,1.

WANTED TO PURCHASE.

WALKER'S Insecta Britannica, Diptera, 3 vols., 8vo.

The following Numbers of the Natural History and Scientific Book Circular have been recently published:

No. 16. BOTANY.

No. 17. CONCHOLOGY, ENTOMOLOGY, AND ORNITHOLOGY.

No. 18, GENERAL NATURAL HISTORY.

No. 19. CHEMISTRY, GEOLOGY, MATHEMATICS, PHYSICS, ASTRONOMY.

No. 20. BOTANY (out of print).

No. 21. SOME BRANCHES OF ZOOLOGY AND GENERAL NATURAL HISTORY.

No. 22. ORNITHOLOGY. No. 23. ENTOMOLOGY.

Free by post for one stamp each.

No. 24.

Journal de Conchyliologie, April, 1877.

Crosse.—Catalogue des Mollusques qui vivent dans le détroit de Behring, et dans les parties voisines de l'Ocean Arctique (Catalogue of the Mollusca of Behring's Straits and the neighbouring parts of the Arctic Ocean), pp. 101—128.

118 species are enumerated; they are, as is natural, of an Arctic character.

Baudon. — Monographie des *Succinées* françaises (Monograph of the French *Succinea*—continued), pp. 128—198.

The author gives full descriptions, accompanied by 5 coloured plates of figures, of all the species and varieties of Succinea inhabiting France, going, we think, much too minutely into detail for a paper in a journal of general circulation. With reference to our notice of the first part (Q. J. C., p. 228) we must no wacknowledge that we think that the difference between S. Pfeifferi and S. elegans has been proved. S. acrambleia, however, which turns out to be Mabille's species, is merely S. Pfeifferi (compare figs. 4 and 5 of Plate 7). S. parvula is a var. of S. putris. S. Baudoni certainly differs from S. arenaria; it is very like the var. parvula of S. putris. Much space is wasted by long lists of references to local catalogues, etc.

FISCHER.—Note sur la sinistrorsité des coquilles des jeunes *Planorbes* (Note on the sinistral volution of *Planorbis* shells), pp. 198—200.

From an examination of embryonal shells of *P. corneus*, the author considers the shell of *Planorbis* is sinistral. With praiseworthy candour he mentions the fact of all the spiral shells of *P. complanatus* found at Magnée being dextral. May not the true solution of the question be that some species, or perhaps even as in *Amphidromus*, some individuals are dextral and others sinistral?

Fischer.—Note sur le genre Mörchia A. Adams, etc. (Note on the g. Mörchia), pp. 200—203.

Dr. Fischer adds two new species, M. Morleti (Plate 4 fig. 1) and biplicata to the one hitherto known, M. obvoluta, A. Adams. The new species are from China. He considers that the name Mörchia should be preserved for the group in question, as Mayer's Mörchia is 3 months posterior, and that the group is a distinct genus and not a subgenus of Cyclostrema.

Folin.—Note relative au genre *Parastrophia* (Note respecting the g. *Parastrophia*), pp. 203—207.

The Marquis de Folin considers that the genera Cæcum, Meioceras, Strebloceras, and Parastrophia are clearly separated by the form and position of the nucleus. That of Parastrophia is much smaller than those of the other genera, and looking at the shell in front appears bent backwards, whilst in Cæcum and Meioceras it inclines to the front, and in Strebloceras turns to the side.

Mörch.—Description d'une nouvelle espèce du genre Fastigiella, Reeve (A new Fastigiella), pp. 207—209.

F. Poulsenii from Eleuthera, Bahamas.

Mörch.—Observations sur l'Ancylus Gussoni, Costa, et le nouveau sous-genre Allerya (Ancylus Gussoni and the new s. g. Allerya), pp. 209—211.

Dr. Jeffreys considers the A. Gussoni to be the same as Tectura virginea Müller, but Dr. Mörch thinks they belong to different genera. In Costa's species the apex is posterior (not anterior as in Tectura). The muscular impression is very narrow, horse-shoe shaped, and terminates in front on each side by a round impression.

The author proposes a new subgenus of *Piliscus* for this shell, to which he gives the name of *Allerya*, and he describes a second species of the subgenus—*Piliscus* (*Allerya*) *Krebsi*, Mörch, from St. Thomas, W. I., and Barbadoes.

FISCHER.—Sur une anomalie de l'animal de l'Helix nemoralis (An anomaly of the animal of H. nemoralis), pp. 211—212.

An adult H, nemoralis was found provided with a small fleshy column, about r centimetre = 2/5ths of an inch long, capable of contraction and extension, truncate at the extremity, and situated towards the root of the tail and a little behind the shell. When the animal was crawling, the appendage was almost vertical.

MORELET.—Addition à la Faune de l'île Maurice (Addition to the Mauritius Fauna), pp. 212—217.

These are all subfossil shells, viz., Cyclostoma articulatum, Gray (living in the Island of Rodriguez); C. unicolor, Pfeiffer, habitat hitherto unknown; C. Lienardi n. sp., (Plate 4 fig. 2); C. cincinnum, Sowb., locality previously unknown, perhaps not yet extinct; Melampus corticinus n. sp.

Morelet.—Coquilles nouvelles de Madagascar (New shells from Madagascar), pp. 217—219.

Helix funebris (near H. Sganziniana, Cr. and F.); H. cerina; Cyclostoma Crosscanum; C. chromium; Megalomastoma litturatum.

Under the head of correspondence and news we gather the following:—

1.—Vitrina Ruivensis, Couthouy, of Madeira is quite distinct from V. Lamarckii, Fér, of Teneriffe.

2.—Two more varieties of Succinea oblonga are named and described!! Quousque tandem!

3.—Pedicularia sicula has been found near the Hyères Islands (Var, Provence).

4.—The Van Lennep collection sold for £1,600.



Journal de Conchyliologie, July, 1877.

HEROUARD.—Sur les courants de nutrition des *Brachiopodes* (The nutritive currents of the *Brachiopoda*), pp. 229—241.

The author has discovered that the form and direction of these currents are different in the various genera of Brachiopoda.

MORELET.—Révision des Mollusques terrestres et fluviatiles du Portugal. (Revision of the land and fresh-water Mollusca of Portugal), pp. 242—261.

A very interesting article, supplementary to the author's work on the same subject. M. Morelet now considers the Arion Lusitanicus to be a good species, but rejects all the other fanciful species of Arion proposed by Mabille in the Revue Zoologique. H. crystallina, var. major, Mor. = H. pseudohydatina, Bourg.; H. candidula of the former work is a small var. of H. caperata, Mont.; H. ponentina, Mor. = H. revelata, Fér. (a thick shelled var.); H. codia, Bourg. is nothing but H. caperata; H. vermiculata Müll. M. Morelet rather doubts that this has been found in Portugal; Pupa secale, Drap., has not, as yet, been found in Portugal, and the name should be erased from the list and replaced by P. Lusitanica Rossm; Ferussacia Vescoi, Bourg. = F. folliculus; Planorbis corneus, L., an error, should be P. Metidjensis, Forbes; Hydrobia acuta Drap., most impudently per-

sists in living in Portugal, "malgré les dents" of the Revue Zoologique; Hydrobia gibba, Drap., is guilty of similar impertinence; Unio Wolwichi and U. tristis should be struck out of the list, the former being exotic (probably Australian), and the latter a young U. margaritifer. 34 species are added to the Portuguese list; the most interesting are Limax Lusitanus and Bocagei, Silva, Helix ciliata, Venetz, H. circumsessa, Shuttl. (previously only found in the Canaries), Pupa substriata, Jeffr., Clausilia Moniziana, Lowe, Cyclas Lusitanica, n. sp. The fauna of Portugal now includes 151 extramarine Mollusca. The peculiar species are rather few, but the fauna is of interest as showing which species extend to the extreme west of the European continent.

Pettard.—Notice sur les Coquilles terrestres de Tasmanie (The land shells of Tasmania), pp. 261—263.

A short but interesting note. Tasmania is much richer in proportion than Australia in land shells. 2 species of Bulimus, 3 of Succinea, 2 of Truncatella, 3 of Vitrina, and 122 of Helix are already known. Only 3 species (H. Alexandræ, Mortii and Sydneyensis) are common to Australia, and from their habitats—gardens, cellars, sewers, etc.—have probably been introduced either into Australia or Tasmania. In Tasmania itself the species are very localised, only two being common to the North and South. Hence further discoveries may be confidently anticipated.

FISCHER.--Note sur les dents intérieures de la coquille de l'*Helix polygyrata*, Born. (The internal teeth of *H. polygyrata*), pp. 263-267.

Adult shells have a row of 5 teeth (two parietal and three palatal), inside the last whorl at 40 to 80 millimetres from the aperture, and, sometimes, 40 to 50 millimetres beyond, traces of a second row. Young shells bear traces of three rows, the

oldest (in the seventh whorl) scarcely perceptible, the intermediate well marked, and the most recent rather indistinct, but clearer than the first row. It is evident that the older rows are gradually absorbed.

Mörch.—Notice supplementaire sur les *Fuseaux* Arctiques (Supplementary note on the Arctic *Fusi*), pp. 267—271.

The epidermis of *Buccinum* and *Fusus* is very variable, and not to be relied on for specific characters. Looking from above a *Siphonorbis* has the appearance of a *Planorbis*, a *Sipho* of a bladder. *Fusus Islandicus*, Lovèn = *F. Berniciensis*; *F. Islandicus*, Gould = *F. Stimpsoni*, Mörch = *F. curtus* Jeff.; *F. despectus*, Linn.; the form found fossil at Uddevalla must be considered the type. *F. breviculus*, Desh., comes from Kamtschatka.

Crosse and Fischer.—Diagnoses Molluscorum novorum, Guatemalæ et reipublicæ Mexicanæ incolarum (New Guatemalan and Mexican Mollusca), pp. 271—273.

Spiraxis Blandi, Vera Cruz; S. Guatemalensis; Subulina Sargi, Coban; Opeas gladiolus, Guatemala; Cacilianella Veracruzensis; Succinea Pueblensis.

Souverbie.—Note complémentaire sur le Scalenostoma apiculatum, p. 274.

A slight correction.

PAULUCCI.—Note sur l'identité du *Conus spirogloxus*, Deshayes, avec le *C. generalis*, Linné. (The identity of *C. spirogloxus* and *generalis*.)

C. spirogloxus was described and figured in the "Conchyliologie de l'île de la Réunion." From an extensive suite of specimens in her collection the Marchesa Paulucci has ascertained that it is only the young of generalis.

Under Correspondence and News we find (1) a short note, by Dr. Jeffreys, showing that he had already corrected the mistake about *Ancylus Gussoni*; (2) that Mr. G. Nevill will shortly publish a work on the Mollusca collected by the late Dr. Stoliczka in Central Asia, and (3) that M. Crosse has been named Officer of Public Instruction, a well-deserved honour, of which all our readers will be glad to hear.

C. P. G.

Rossmassler's Iconographie,

Fortgesetz von Dr. W. Kobelt.

Vol. V. (Vol. II. of continuation) Parts 1 to 3.

These new parts contain much of great interest. We have:-

- I.—The subgenus *Levantina*—a fine group of Helices from Syria, Mesopotamia, etc. Two plates of these are given.
- 2.—The Italian species of *Iberus—Helix muralis*, serpentina, etc. Dr. Kobelt judiciously reduces the number of species in this puzzling group (2 plates).
- 3.—Various species of *Fruticicola*. The right hand fig. (1194) represents a very beautiful banded *H. fruticum*, and fig. 1197 the magnificent *H. inchoata*; (fig. 1201) is the true *H. cantiana*, though a very small specimen, but we have our doubts as to the Belgian example (fig. 1202.) None of the Kentish specimens have a banded periphery. (4 plates).
 - 4.—Several species of Limnæa (3 plates).
- 5.—Leucochroa (1 plate). From Mr. Binney's researches we regard Leucochroa as a subgenus of Helix near Eremophila.
- 6.—Xerop'iila (2 plates) including some large forms of H. variabilis (figs. 1295—1300).

7.—Glandina and Parmacella (I plate.) The animal of G. algira is figured (I316.) We are inclined to think that there is more than one European species of Glandina. The figures of G. algira are too green.

1.—Buliminus (1 plate) including the enormous B. labrosus.

Our readers will see how rich and varied a conchological banquet is spread before them in this treble part.

C. P. G.

SUGGESTIONS FOR FINDING THE SMALLER LAND SHELLS.

By HENRY LAVER, F.L.S.

I have adopted for some time, very successfully, the following plan of taking the smaller snails, and, believing that it might be useful to others, I beg to forward it to you for publication in the Journal. My procedure is to take a bag to those parts of the wood most likely to abound in snail life, and to collect the dead leaves, grass, and other rubbish until my bag is full. This I carry home and sift through a common cinder-sieve; the broken rubbish that passes through I then sift again over a cloth—an empty sack will do very well-in a brisk wind, in fact I winnow the light rubbish away, and then search over the remaining debris in a good light, and by this means have found many snails I did not think occurred in this district at all. The advantage of winnowing is that you have a very small quantity of rubbish to search, and I believe but few of the snails have been lost, in addition to which this form of snail-hunting will occupy but little time in the wood—an important matter to many, myself included -and I can, therefore, recommend it, and should any of your readers adopt it, perhaps they will give us their experience.

HELIX LAMELLATA, JEFFREYS. By Richard Rimmer.

When on a visit in Kirkcudbrightshire last August, I found this species plentifully upon fallen and decayed leaves of the holly in woods.

Dr. Gwyn Jeffreys has already described the animal at p. 158, vol. 4 of "British Conchology," but a few additional particulars respecting it may perhaps be of interest to your readers, the more so as several of the specimens I collected are still alive, and afford me daily opportunities of observing their habits.

A large proportion of the specimens found in the abovenamed locality were subject to erosion of the epidermis, especially near the apex.

ANIMAL.—Head and body yellowish-white; back, slaty-grey, with a yellowish-white line running down the middle; tentacles, upper pair clavate and long for the size of the animal, of a dark bluish colour, bulbs inky black, globular; lower pair much lighter in colour, tips whitish; foot whitish, rather narrow, tapering to a fine but slightly obtuse point behind.

The animal is very timid, and shrinks from exposure to sunshine, or even ordinary daylight. When crawling its movement is unusually rapid for a snail, and it carries its shell in an upright position, swaying it from side to side as it advances, reminding one of the waddling of a duck.

When desirous of observing it under the microscope I found that the only way to induce it to leave its shell was to place it on a damp leaf, and allow a strong ray of sunlight to rest upon it, when it would soon emerge and start off in quest of shelter.

I have, as yet, been unable to detect this little creature in the act of feeding, which is, probably, for the most part performed at night. That its food principally censists of decayed holly leaves is most likely, as among them it usually seeks its home. It is possible, however, that it may sometimes change its diet, for several of my specimens frequently leave their moist holly leaves and nestle among the roots of a piece of Jungermannia platy-phylla, which I have given them. I do not think my pretty little friend is carnivorous, at all events, though he has been supplied with tempting morsels of flesh of various kinds, both cooked and raw, he seems to avoid them, and I can discover no signs, even with the microscope, of his having committed any ravages upon them.

HELIX PISANA, MULLER.

By RICHARD RIMMER.

In the 12th number of "The Quarterly Journal of Conchology" there is an interesting communication by Mr. Sheriff Tye, respecting *H. Pisana*, upon which I will venture to offer a few remarks.

In the summer of 1876 he observed this species in Vazon Bay, Guernsey, and not having met with any record of its existence in that island, very naturally concluded that he was the first to discover the fact of its being there. During the summer of 1873, however, I found it close to Vale Castle, near St. Sampsons. In making this statement I trust it will be distinctly understood that I have no intention or desire whatever to deprive a brother naturalist of the satisfaction which a new find is calculated to afford, my sole object being, if possible, to arrive at the truth, which, to my thinking, is of much more moment than any priority of claim to discovery.

Upon finding this species in a locality where, like Mr. Sheriff Tye, I believed it had hitherto been unobserved, I was on the point of recording the fact, but, after a little deliberation, I resolved not to do so, as I felt convinced that it was not indigenous to, but had been introduced, and that very recently, into Guernsey.

To this conclusion I was led (1) because all the specimens I found were adults—not a single individual with a mouth unfinished was to be seen, after several days of diligent searching, and (2) their habitat was so circumscribed, and their number so small—not exceeding, probably, a few hundreds—that I was driven to the conclusion that they could not possibly have existed there for any great length of time. The position of the spot, too, was remarkable, inasmuch as it had a north-eastern aspect.

In "British Conchology," vol. i, p. 208, Dr. Gwyn Jeffreys observes that "the limited range of this species in Great Britain is remarkable," and adds that two attempts he made to colonize it on the sand hills near Swansea proved altogether unsuccessful. Now, in the autumn of 1874, being in that neighbourhood, I visited the spot for the express purpose of discovering, if possible, some trace at least of Dr. Gwyn Jeffreys' industry, and, to my astonishment, and to his also-for I immediately informed him of the fact—I found the shell in countless numbers, of all ages, the variety alba having apparently the superiority as to numbers. From these facts we may infer that Pisana is, under favourable circumstances, capable of colonization, that the immigrants, from some cause (the sudden change, perhaps, injuriously affecting their delicate constitution) do not long survive, but leave behind them a progeny which, being born there, take more kindly to the place. This may, in some measure, explain how it was that Mr. S. Tye found all the young specimens in Vazon Bay feeding in the open, while the old ones (which were probably sickly) had gone for shelter to the brick wall.

The colony I discovered at St. Sampson's has, in all likelihood, perished, together with its offspring (if it had any), in consequence of the inappropriate aspect selected by its founder, who, if I am not greatly in error, discovered his mistake, and afterwards repeated his experiment in Vazon Bay with better success. I can hardly think this species existed in 1873 in Vazon Bay, or, indeed, anywhere else in Guernsey except near St. Sampson's, as I made a very close and diligent search over the whole island, for which I had ample opportunity during a residence there of several months, my whole time being devoted to that object; nor is it at all likely that this very conspicuous species could have been overlooked by so observant a naturalist as the late Dr. Lukis, had it been in Guernsey in his day.

I may add that, though I cannot actually recall the circumstance to mind, it is very likely I showed some of the St. Sampson's shells to Mr. W. Randall, whom I frequently met in my rambles.



LIST OF LAND SHELLS COLLECTED ON FITZROY ISLAND; WITH NOTES ON THEIR GEOGRAPHICAL RANGE.

By JOHN BRAZIER, C.M.Z.S.,

Member of the Royal and Linnean Societies of New South Wales, Corresponding Member of the Royal Society of Tasmania.

Fitzroy is a small granitic island on the North-East Coast of Australia, near Cape Grafton, and about one mile off the mainland; it is nearly two miles long North-East and South-West, and two-thirds of a mile broad; it rises to a peak 860 feet above the level of the sea, and is well wooded right to its summit. Among the most luxuriant tropical growths, which are of great frequency, the familiar Eucalypti rear their not always graceless stems. One's progress is very much impeded in the valleys by prodigious climbers with stems 200 to 300 yards long (Calamus Australis).

In June, 1848, when the island was visited by my friend Mr. John Macgillivray, in H.M.S. Rattlesnake, he only records two species *Bulimus Tuckeri* and *Pupina Thomsoni*.

When I visited the island in December, 1871, with the Australian Eclipse Expedition, I obtained at or near the watering place on the west side of the island 7 species of Helix, I Helicarion, 2 of Pupa, I Diplommatina, I Leptopoma, 2 of Bulimus (including Tuckeri), I Ditropis, I Georissa (these two are forms quite new to Australia), and I Truncatella. I now add 3 species of Melampus, I of Pythia and I of Cassidula, which I collected in one day, during my second visit on June 6th, 1875, though only on the island for a few hours. I also obtained another species of Helix, making, with the Land and Amphibious species, the total of 24. They are as follows:—

I. Helix Macgillivrayi, Forbes, Voyage of H.M.S. Rattlesnake, vol. ii, p. 377, plate 3, fig. 1.

Found on the trunks and limbs of trees in the valleys, at an elevation of 456 feet above sea level.

The type specimens were found by Mr. Macgillivray on the Frankland Islands, some three miles south of Fitzroy. Only a few months back my friend Mr. C. E. Beddome obtained specimens on the mainland, 28 miles inland from Cardwell, Rockingham Bay, at an altitude of 3,500 feet.

2. Helix Franklandiensis, *Tertes*, Voyage of H.M.S. Rattlesnake, vol. ii., p. 372, plate ii, fig. 2 a.b.

Found under decayed wood at the roots of trees in the valleys, at 300 feet.

Also collected by Mr. Macgillivray, at the Frankland Islands. Cardwell, Rockingham Bay, in the bushes under leaves (Mr. C. E. Beddome).

3. Helix Aridorum, Cox, Proc. Zool. Society, 1867, p. 924.

Found on the flat near the watering place, under coral and decayed wood.

This is the same species found by Mr. Macgillivray at the Frankland Islands and quoted by the late Professor Forbes as Helix similaris, Fér. I have seen some of the original specimens from the Franklands, and have compared them with what I collected at Fitzroy, under the lens. They are all finely granulated, characters not to be found in Helix similaris, Fér. Helix aridorum is also found at the Clarence River, New South Wales, Brisbane and Burnett River, Queensland. The only locality in any part of Australia where H. similaris, Fér., is found is in Guilfoyle's Nursery Double Bay and Elizabeth Bay, near Sydney, New South Wales. They were introduced with plants from the Mauritius. After rain I have found them in vast numbers, crawling on the trunks of fruit trees and on the ground under Samphire and Dianthus. It is quite improbable that Helix similaris has ever been carried on floating timber to Australia.

4. Helix Elleryi, *Brazier*, Proc. Zool. Society, 1874, p. 668, plate lxxxiii, figs. 3–4.

Found under decayed leaves, near the watering place.

A small, conical, very thin, pale brown shell, having the periphery sharply keeled and spirally striated.

It is also found on the Barnard Islands No. III, North East Australia, under drift coral, thrown up, one time or another, during some terrific gale. 5. Helix Russelli, *Brazier*, Proc. Zool. Society, 1874, p. 668, plate 13–14.

Found near the watering place, under leaves at the roots of trees.

A small, turbinately globose, thin, shining, horny, brown shell, with elevated spire.

On my way to New Guinea, in 1875, I found it on Barnard Islands No. III; Home Islands, off Cape Grenville, North-East Australia; Cape York, North Australia; Bet and Darnley Islands, Torres Straits; Cardwell, Rockingham Bay (Mr. C. E. Beddome).

6. Helix turriculata, Cox, Proc. Zool. Soc., 1867, p. 724.

Found with Helix Elleryi and Russelli.

It does not differ from the type specimens from Port Curtis.

Also Barnard Islands No. III.

7. Helix pampina, Cav, Monog. Aust. Land Shells, 1868, p. 3, plate xix, fig. 9.

Found on the leaves and trunks of trees, at an elevation of 456 feet above sea level. I include this as I obtained it during my second visit of a few hours, in 1875, to the island, on my way to New Guinea.

I also obtained specimens at the Great Palm and Barnard Islands No. III, North-East Australia; Albany Island and Cape York, North Australia. The typical specimen in my collection was obtained at Wide Bay, Queensland, Bowen, Port Denison (Mr. A. Simson).

- 8. Helix rustica, Pfr., Zeitschr. f. Malak., 1852, p. 112.
 - = H. inconspicua, Forbes.
 - = H. impexa, Reeve.

Found under decayed wood and leaves, at the roots of trees, near the watering place.

9. Bulimus Tuckeri, Pfr., Proc. Zool. Society, 1846, p. 30. = B. IValli, Cox.

Found in crevices of coral, at the roots of trees.

Also on Barnard and Home Islands, North-East Australia; Albany Island and Cape York, North Australia; Sue, Warrior, Bet, Long, Dungeness, and Cocoanut Islands, Torres Straits. These last localities I visited in 1875. Sunday, Lizard, and Sir Charles Hardy's Islands (Macgillivray). All these islands are inside the great Australian coral barrier.

10. Bulimus pacificus, Pfr., Mon. Helic. Viv., 1859, Vol. iii, p. 414.

= Pupa pacifica, Pfr., Proc. Zool. Society, 1846, p. 31.

Found with *B. Tuckeri*, and at the whole of the above islands.

11. Helicarion Brazieri, Cox, Proc. Zool. Society, 1873, p. 151.

Found at an altitude of 456 feet above sea level, crawling on the trunks of trees and on large granite boulders, in the dark and thickly wooded virgin forest.

12. Vertigo Macdonnelli, *Brazier*, Proc. Zool. Society, 1874, p. 669, pl. lxxxiii, figs. 22–23.

Found under leaves and at the roots of trees,

Also No. 8 Island, Claremont Group, off Cape Sidmouth, Barnard Islands No. III, North-East Australia; Cape York, North Australia.

13. Vertigo Scotti, *Brazier*, Proc. Zool. Society, 1874, p. 669, pl. lxxxiii, figs. 24—26.

Only one specimen found at the watering place, under a bit of wood.

14. Diplommatina Gowllandi, Brasier, Proc. Zool. Society, 1874, p. 670, pl. lxxxiii, figs. 19—21.

Found at the roots of trees, crawling upon the grass during a heavy rain. On my second visit to the island, in 1875, I only obtained 3 specimens, no rain having fallen for some months. Everything appeared to have been burnt up with the warm weather.

15. Cyclophorus (Ditropis) Whitei, *Brasier*, Proc. Zool. Society, 1874, p. 669, pl. Ixxxiii, figs. 5—7.

Found under wood near the watering place.

Barnard Islands No. III, North-East Australia; found under coral at the edge of the brushes.

- 16. Leptopoma vitreum, Lesson, Voy. de la Coq., p. 346, pl. 13, fig. 6.
 - = Dermatocera vitrea, H. & A. Adams.

Found on the leaves and trunks of trees and small bushes, at the altitude of 456 feet.

Also found at the whole of the Solomon Islands, New Britain and New Ireland. They are brought off by the natives in small-sized baskets, three or four quarts in each. The Rev. George Brown, on his return from New Britain

and New Ireland, brought with him to Sydney some bushels of them. Dunk, Frankland, and Green Islands, North-East Australia (Macgillivray).

τγ. Pupina Thomsoni, Forbes, Voy. H.M.S. Rattlesnake, App., p. 381, pl. iii, fig. 2.

Found at the roots of trees in shaded places. Living specimens are only to be procured during rain; in the dry season one has to scrape and dig in the loose coral that forms the high flat before one can get perfect and dead specimens.

18. Georissa multilirata, *Brazier*, Proc. Zool. Society, 1874, p. 670, pl. lxxxiii, figs. 8—10.

Found crawling on the roots of grass during a heavy rain.

19. Truncatella teres, Pfr., Proc. Zool. Society, 1856, p. 336.

Found under wood at the watering place, and near the coral sand beach, under drift timber and weeds.

Also found on Barrow Island and Cape Grenville, North-East Australia.

20. Melampus pulchellus, Petil, Proc. Zool. Society, 1842, p. 202.

= Auricula pulchella, Petit.

One specimen found up the valley at the watering place.

21. Melampus trifasciatus, Kuster, Auricula, p. 38, pl. v, figs. 15—17.

One specimen found at the watering place.

22. Melampus parvulus, Nuttall in Pfr. Mon. Auricula, 1856, p. 24.

One specimen found at the watering place.

The aperture is lighter in colour than in the specimens from Oahu, Sandwich Islands.

23. Pythia Argenvillei, Pýr., Zeitschr. f. Malak., 1853, p. 191.

Found in vast numbers in shaded places up the valley, near the watering place, under decayed wood and leaves.

- 24. Cassidula angulifera, Petit, (Auricula), in Revue Zool., 1841, p. 101.
 - = Auricula subrepta, Homb et Jaq.
 - = Auricula angulata, Forbes.
 - = Melampus anguliferus, Chenu.
 - = Rhodostoma bidentata, Swainson, Proc. Royal Soc. Tasmania, 1854, vol. iii, p. 45, pl. vii, fig. 4.

One specimen found near the brackish water.

I have also found it on the mainland at Cardwell, Cape Sidmouth, North-East Australia; Mud Bay, Cape York, North Australia; and Katow, South New Guinea.

It was described by Swainson as *Rhodostoma bidentata*, and appears to have been overlooked by authors.

TEN DAYS' DREDGING AT OBAN.

By the Rev. A. M. Norman, M.A.

A line of railway has been now opened to Dalmally, and Oban has thus been brought within very easy reach of the tourist visiting Scotland. This deservedly favourite place, on the western coast, is likely each year to become more frequented. It has struck me, therefore, that a list of the Mollusca which, during a very short visit, were observed in the land-locked waters close to Oban, might not be without interest to your readers.

In August last I went to Oban for the purpose of examining the fauna of the Bay more minutely than I had previously had opportunity of doing when merely staying there for a night or so in years gone by, on my way to dredging grounds further to the north.

It is necessary that I should mention that during my recent visit my attention was chiefly directed to the Polyzoa, Crustacea, Hydrozoa and Sponges.* The Mollusca were regarded by me as of secondary moment, as I was not likely to find, in such a locality, anything that was new to me; and, although the larger species which could be seen with the unassisted eye in the sieves while at sea were carefully picked out, the finer sand and mud were not saved for home examination. Had my aim been merely the procuring of shells, the following list would no doubt have been considerably extended as regards the smaller species (*Rissoa*, *Odostomia*, &c.); although the locality does not seem so favourable for minute as it is for the larger Mollusca.

The boat employed was a small row-boat with two oars. The depth dredged never exceeded 16–20 fathoms; and the area examined was purposely very restricted. It only embraced Oban Bay, lying to the north of a line drawn from Oban to Kerrera, and thence to the "Maiden Isle," and perhaps three-quarters of a mile round the point on which Dunolly Castle stands. Kerrera Sound to the south of Oban, Loch Linnhe outside of the Island of Kerrera, and Loch Etive were left wholly unexplored.

Taking these circumstances into consideration, the conchologist who casts his eye down the following list will be in a position to understand—first, that the Molluscan fauna of the Bay

^{*} I hope before long to publish elsewhere some notes with respect to the animals of these classes which were procured. Many species new to our fauna or to science were obtained.

of Oban is very rich; secondly, that interest attaches to the Oban fauna, as, indeed, to that of the Hebrides generally, on account of the intermixture of northern and southern forms.

Terebratula caput-serpentis, (Lin.) Crania anomala, (Müller). Anomia ephippium, Lin. striata, Lovén. Ostrea edulis, Lin. Pecten pusio, (Lin.) " opercularis, (Lin.) ,, tigrinus, (Müll.) " striatus, (Müll.) ,, niveus, Macgil. similis, Laskey. " maximus, (Lin.) Lima elliptica, Jeff. " Loscombii, Sow. hians, (Gmelin). Mytilus edulis, Lin. modiolus, Lin. phaseolinus, (Phil.) Modiolaria marmorata, (Forbes). discors, (Lin.) nigra, (Gray). Nucula nucleus, (Lin.) Leda minuta, (Mill.) Pectunculus glycimeris, (Lin.) Arca tetragona, Poli. Lucina spinifera, (Mont.) borealis, (Lin.) Axinus flexuosus, (Mont.) Cardium edule, Lin. fasciatum, Mont. nodosum, Turton. Cyprina Islandica, (Lin.) Astarte sulcata, (Da Costa). elliptica, (Brown). Circe minima, (Mont.) Venus lincta, Pulteney. fasciata, (Da Costa). casina, Lin. 22

ovata, Penn.

Venus gallina, Lin. Tapes virgineus, (Lin.) pullastra, (Mont.) Lucinopsis undata, (Penn.) Tellina crassa, Penn. fabula, Gronov. Psammobia tellinella, Lamk. Ferröensis, (Chemn.) Mactra elliptica, Brown. Syndesmia nitida, (Miill.) alba, (Wood.) Scrobicularia piperata, (Lin.) Solen pellucidus, Penn. " ensis, Lin. Pandora obtusa, Leach. Lyonsia Norvegica, (Chemn). Cochlodesma prætenue, (Pult.) Thracia villosiuscula, (Macgil.) Corbula gibba, (Olivi.) Mya truncata, Lin. Sphænia Binghami, (Turton). Saxicava rugosa, (Lin.) var. arctica, (Lin.) Dentalium entalis, Lin. Chiton fascicularis, *Lin*. cinereus, Lin. marginatus, Penn. ruber, Lin. lævis, Penn. marmoreus, Fab. Patella vulgata, Lin. Helcion pellucidum, (Lin.) Tectura testudinalis, (Müll.) virginea, (Müll.) Pilidium fulvum, (Müll.) Emarginula fissura, (Lin.) Fissurella Græca, (Lin.) Trochus Grænlandicus, Chemn. magus, Lin. tumidus, Mont. ,, cinerarius, Lin.

umbilicatus, Mont.

zizyphinus, Lin.

Montacuti, W. Wood.

,,

22

22


```
Trochus millegranus, Phil.
 Lacuna divaricata, (Fabr.)
Littorina obtusata, (Lin.)
         rudis, (Maton.)
            ,, var. tenebrosa, (Mont.)
         littorea, (Lin.)
Rissoa parva, (Da Costa).
        inconspicua, Alder.
        membranacea, (Adams).
        striata, (Adams).
Hydrobia ulvæ, (Penn.)
Turritella terebra, (Lin.)
Odostomia conoidea, (Brocchi).
           unidentata, Mont.
Velutina lævigata, Penn.
Trichotropis borealis, Brod. & Sow.
Aporrhais pes-pelicani, (Lin.)
Purpura lapillus, (Lin.)
Buccinum undatum, Lin.
Murex erinaceus, Lin.
Trophon Barvicensis, (Johnst.)
         truncatus, (Ström.)
Fusus antiquus, (Lin.)
Nassa incrassata, (Ström).
Defrancia linearis, (Mont.)
Pleurotoma striolata, Phil.
           septangularis, (Mont.)
           rura, (Mont.)
           turricula, (Mont.)
Cypræa Europæa; Mont.
```

Only a very few Nudibranchiata were observed, and those were common species.

The following Mollusca, though not obtained during my last visit, are also to be found in the neighbourhood of Oban. Many of them have been previously dredged by myself in Loch Linnhe, and the rest have been recorded on reliable authority—found by Jeffreys, Barlee, Bedford, &c.:—

Pecten Testæ, Birona; Nucula sulcata, Brown, and N. nitida, G. B. Sow; Kellia suborbicularis, (Ment.); Lepton squa-

mosum, (Mont.); Isocardia cor, (Lin.); Neæra cuspidata, (Olivi); Chiton Hanleyi, Bean; Propilidium alcyloide, (Forbes); Emarginula crassa, G. Sow.; Cyclostrema nitens, (Phil.), and C. serpuloides, (Mont.); Trochus helicinus, Fab.; Phasianella pulla, (Lin.); Rissoa reticulata, (Mont.), R. violacea. Desm., R. vitrea, (Mont.), and R. semistriata, (Mont.); Odostomia Lukisi, Jeff., O. umbilicaris, (Malm.), O. insculpta, (Mont.), and O. decussata, (Mont.); Chemnitzia fulvocincta, (Thompson); Eulimella affinis, F. & H.; Natica Montagui, Forbes; Cerithiopsis tubercularis, (Mont.); Pleurotoma attenuata (Mont.), and P. brachystoma, Phil. Of course the list is capable of considerable extension as regards the commoner forms.



DESCRIPTIONS OF NEW SPECIES OF LAND SHELLS FROM THE EAST COAST OF AFRICA.

By John W. Taylor.

I have pleasure in resuming the description and publication of the various and interesting species collected by Mr. Gibbons in East Africa.

Buliminus Gibbonsi (Pl. III., fig. 1).

SHELL broadly ovato-conical, thin, glistening, hardly semi-transparent, of a light horn color, strongly and very regularly striate in the line of growth; epidermis distinct, moderate; whorls 6½-7 broad, ventricose; the body-whorl very large; the apex blunt; suture distinct; aperture ovate; outer lip thin, simple; inner lip reflected partly over the umbilicus; anterior end of mouth rounded; umbilicus large and deep.

Length 0.625, breadth 0.375.

*Hab. Mozambique.

Two specimens only of this fine species were obtained on the mainland, Mozambique. One of the specimens, found beneath a stone, was evidently only recently dead.

Buliminus costatus, Gibbons, MS. (Pl. III., fig 2).

SHELL slender, clongately-conical, thin, of a light opaque brownish color, with distinct, transverse, and slightly oblique ribs; the whorls are lighter colored than the rest of the shell; epidermis thin; whorls 6-6½ tumid, flattened, and inflected towards suture, producing a somewhat turrite aspect, gradually increasing in size, the last whorl forming about one-third the length of the shell; suture broad and deep; mouth narrow, ovato-elliptical, somewhat contracted and pointed in front; outer lip thin and direct, long and gently curved; inner lip short and straight; columella slightly twisted; aperture white within and strengthened by a slight internal thickening; umbilicus obsolete.

Length 0.156, breadth 0.062. *Hab.* Zanzibar.

Only two dead specimens of this pretty species were found, among dead leaves under trees at Zanzibar.

Opeas delicata, Gibbons, MS. (Pl. III., fig. 3).

Animal yellowish.

SHELL conico-turrite, elongate, very thin, semi-transparent, glossy, of a pearly gray color, clouded and rather opaque in places, finely but very distinctly striulate transversely, the striulæ rather curved, with the convexity towards the aperture; epidermis very thin; whorls 7–8, rather tumid, rapidly enlarging, especially after the 4th or 5th whorl, the last being much the largest and most tumid; apex rather obtuse; sulure deep and distinct; mouth rather narrow, ovate, somewhat oblong, lips almost parallel, outer thin and sinuous, inner very slightly reflected behind anterior end of aperture, rounded; umbilicus narrow but rather deep.

Length 0.275, breadth 0.093. *Hab.* Zanzibar.

Rather diffused around Zanzibar, but not common; usually under stones. A number were found by Mr. Gibbons in the interstices of a small piece of coral, lying on the ground under a tree; a few yards away great quantities of dead and old shells were lying among the grass, near some bushes.

In March this species contains 3 or 4 large calcareous shelled eggs.

Buliminus cinereus, Gibbons, MS. (Pl. III., fig. 5).

SHELL conical. tapering, rather thin, of a light brown color, faintly striulate transversely; *epidermis* thin and distinct; *whorls* 7½, convex, inflected towards suture, gradually enlarging to last, which is rounded and one-third the length of the shell, spire produced, tapering; *apex* rather acute; *suture* deep and very distinct; *mouth* ovato-trigonal, slightly pointed in front, subangulate behind; *peristome* thin and direct; *inner lip* slightly reflected; *umbilicus* distinct, moderately deep.

Length 0.25, breadth 0.105.

Hab. Zanzibar.

One dead specimen of this species was found at Zanzibar.

Subulina intermedia, Gibbons, MS. (Pl. III., fig. 4).

Animal with body less than one-half the length of the shell, narrow and high, dorsum rounded; tail sloping and abruptly pointed; color a pearly white; upper tentacles very short and also white, tipped with faint brownish; lower almost obsolete.

SHELL clongated, very slender, conico-cylindrical, very thin, glossy semi-transparent, of a glassy straw color, very finely striolate in the line of growth; epidermis very thin; whorls 8-8½, very oblique, convex, gradually tapering to apex, which is obtuse and abrupt; the last whorl is but little larger than the penultimate; suture very oblique, deep; mouth broadly ovate; outer lip thin

and curved; columella truncate, with a thin and somewhat indistinct layer of callus; umbilicus obsolete.

Length 0.375, breadth 0.076.

Hab. Zanzibar.

Rather numerous at Zanzibar, but in one place only, viz., under a bush in or on the light mould.

The animal crawls very slowly and by jerks, dragging the shell after it; the position of the shell would appear to be a matter of little moment to the animal; sometimes it is pulled along sideways, and on one occasion Mr. Gibbons observed a specimen actually pushing its shell before it. The tail is usually slightly curved upwards.

REMARKS ON THE GEOGRAPHICAL DISTRIBUTION OF THE TERRESTRIAL MOLLUSCA.

By C. P. GLOYNE.

I. Introductory.—We have been induced to put together the following remarks on the geographical distribution of the terrestrial mollusca by the consideration that no general survey of the subject has been published in England of a later date than that in Woodward's "Manual of Recent and Fossil Shells," of which the first edition was published nearly a quarter of a century ago, and the second in 1866. The account of the subject in the first edition was very good for the time, that in the second was partially, but only partially, revised, and the third edition was a mere reprint of the second.

Of late years the discoveries of new species in regions little known in Woodward's time have been very numerous, and, besides this, the general classification of the terrestrial mollusca has been completely altered, so that, for example, the West Indies, to which 27 species of Achatina are attributed by Woodward, are not now considered to possess one; not on account of errors in localities, but because all the species are referred to other genera—the genus Achatina being now restricted to the large phytophagous African species, e.g., A. fulica. The additions that have been made to our knowledge of the particular regions will be stated more particularly under each. It may, however, be well to say generally that whilst the additions to the faunas of Europe, North Africa, and Asia Minor, of Tropical Africa, of Philippines, of the United States, and, to a less extent, of South America, have, though considerable, not been such as to materially modify general conclusions, the contrary is the case with regard to India, many of the Polynesian Islands (including New Caledonia), Australia, and Mexico.

We adopt, generally, the great divisions of Dr. Sclater, subdividing them into regions of smaller extent, and we would make the general remark that whilst on continents a vast extent of land is sometimes comprised in a single region, very small islands must often be separately treated.

With regard to the boundaries of regions there is one misconception as to which we must warn our readers, that of thinking that they are sharply defined. This is only true with regard to some islands, and even with them there are often cases in which the fauna has in some way overstepped a narrow strait and spread to the neighbouring mainland, as in the case of Florida, which has received a large immigration of West Indian species. On continents a sharp boundary is very rare, and the rule is for one fauna gradually to give way to another, as there are seldom natural obstacles forming perfect barriers; even in the case of the Tropical African Province, perhaps the best defined of any, Abyssinia is a sort of border land in which such purely African groups as *Limicolaria* and *Pella* are found together with

Euparypha, Patula and a whole series of Pupa of European facies. In short, these boundaries are not like those made by treaty, whether at Vienna or Frankfort, but what they lose in definiteness they gain in permanency, for whereas the political map of Europe fifty years ago would now be pretty antiquated, and that of a century back useless, it would require many centuries, or rather hundreds of centuries, before there was any perceptible change in the conchological map of the same region.

The following are the Provinces defined by Dr. Sclater, and now generally admitted.

1, THE PALÆARCTIC PROVINCE; 2, THE ETHIOPIAN PROVINCE; 3, THE PALÆOTROPICAL PROVINCE; 4, THE AUSTRALASIAN PROVINCE; 5, THE NEARCTIC PROVINCE; 6, THE NEOTROPICAL PROVINCE.

II. The Palæarctic Province.—We include under this Province, with reference to the Mollusca, all Europe, Africa north of the Sahara, the Atlantic Islands (the Azores, the Madeira Archipelago, the Canaries and Cape de Verdes), Asia north of the line of deserts, and, also, Arctic America, but we exclude Japan contrary to Mr. Wallace's views in his excellent work on the Geographical Distribution of Animals—as the genera Cyclophoris. Alycaus, Pupina and Helicina are undoubtedly tropical, and the Japanese Clausiliæ are related to the tropical forms of Burmah, Siam, etc., and not to the European species. With regard to Arctic America we would refer to a very interesting article by Mr. Binney, "Catalogue of the Terrestrial Air-breathing Mollusks of North America," in the Bulletin of the Museum of Comparative Zoology, in which he gives a list of 33 species of the "Northern Region," of which 13 are also found in Europe. It is our opinion, from the similarity of the Siberian to the European fauna, that these species spread to America by way of Asia, across the narrow Behring's Straits rather than by Iceland and Greenland, and the

discovery of a species of *Clausilia* in Alaska (formerly Russian America) seems to confirm this view. A very complete catalogue of the species of this province (except the Atlantic Islands) is Dr. Kobelt's "Catalog der im Europæischen Faunengebiet lebenden Binnenconchylien," and Rossmaessler's Iconographie with Kobelt's continuation, will, when complete, give figures and descriptions of all the species of land and freshwater shells mentioned in the Catalogue.

There is no want of works on particular districts, this having been naturally the best explored province of all, especially in its northern parts.

For lists of the species found in the Atlantic Islands the following authors should be consulted: Morelet for the Azores, Paiva for Madeira, etc., Mousson for the Canaries, and Dohrn's papers for the Cape de Verdes.

We sub-divide this province as follows:—

- 1. NORTHERN REGION.
- 2. MEDITERRANEAN REGION.
 - A. Austro-Turkish Division.
 - B. Italian Division.
 - C. Hispano-Algerian Division.
- 3. ATLANTIC REGION.
 - A. Azores.
 - B. Madeiran Archipelago.
 - C. Canaries.
 - D. Cape de Verdes.
- 1. THE NORTHERN REGION.—This region, which we consider as embracing the whole of Europe to the north of the Mediterranean basin, Siberia, and Arctic America, and, probably, from the list of species found near Kieff, published by M. Jelski in the

Journal de Conchyliologie for 1873, also the northern shores of the Black Sea, is poor in comparison with most of the others. The characteristic group is Fruticicola, the subgenus of Helix, including rufescens, hispida, etc., and the small subgenera of Helix, Acanthinula and Vallonia are also marked features. The other subgenera of Helix are poorly represented. Xerophila and Euparypha are found in the littoral districts, as is also the subgenus Cochlicella represented by H. acuta, Müller, the shell called Bulimus acutus by Jeffreys and Pfeiffer. (It may here be remarked that the Jamaican H. acuta, Lam, must change its name if Cochlicella acuta is to be finally considered as a Helix, we have seen acutissima used in Paetel's catalogue, but as that name was given to a very distinct variety, we prefer H. Lamarckii, Fér, for the species, the other H. Lamarckii being now universally included in Nanina). The genus Hyalina is pretty largely represented in this region. Pupa and Vertigo are also abundant, Buliminus has only a very few species, Clausilia seems to die out to the north and west from its centre of dispersion in the Balkan Peninsula, and throughout the greater portion of the region Cyclostomus elegans and one or two species of Acme form the sole representatives of the operculate Pulmonifera.

This region includes the greater part of Dr. Fischer's Western Region which he makes to extend all along the coast of the Atlantic from Ireland to Portugal, We can hardly agree with this division. It is based upon the occurrence of certain peculiar species. These, however, are mostly limited to peculiar localities, whilst those species such as *Helix pisana* and *variabilis* which are truly distinctive of the coast, as opposed to the inland, fauna are also found throughout all the coasts of the Mediterranean. The truth appears to be that these species are common to the coast of the whole province (except in the Arctic Regions), and, therefore, unless a littoral region is to be formed, embracing the whole extent of land within a league or two of the sea, hardly an advisable

plan, they cannot be considered as defining any particular geographical region, but are merely species limited to a particular station in the same way as rock or marsh-loving species.

In Amooria, according to Schrenck, 17 out of 25 species are European, showing the immense diffusion of this poor fauna.

Two districts on the southern boundaries of this region deserve special mention—the Pyrenees and the Alps. The Pyrenees possess many peculiar species, amongst which may be mentioned *Helix constricta*, carascalensis and Rangiana, Pupa pyrenæaria, polyodon, Partioti and ringens (indeed the subgenus Torquilla is largely Pyrenæan) and Clausilia Pauli. Pomatias is also abundant, and of many wide-spreading species there are special varieties. The Alps, forming as they do the dividing line between the Northern and Mediterranean regions, naturally partake of the fauna of both, but the more numerous and characteristic species are Mediterranean.

II. THE MEDITERRANEAN REGION.—This is the richest part of the Palæarctic Province, and may be considered to include not only the basin of the Mediterranean itself, but that of the Black Sea, except, probably, the northern shores and the whole of Asia to the south of Siberia, and the west of the Indian Province, except Arabia.

Though there are many features in common, we consider that there are certain types characteristic of the different divisions, not by their exclusive limitation but by their great development. We refer to *Clausilia* and *Buliminus* in the East, and *Macularia* and *Iberus* in the West, and we therefore divide the region as follows:

- A, the Austro-Turkish Division, comprising the basin of the Danube, the Balkan Peninsula, Asia Minor and the Caucasus;
- B, the Italian Division, including, in addition to Italy proper, the Italian Tyrol, and the Swiss Canton of Ticino; and
- C, the Hispano-Algerian Division, forming the western and southern part of the region.



1. BULIMINUS GIBBONSI. 2. B. COSTATUS.
3. OPEAS DELICATA. 4. BULIMINUS CINEREUS.
5. SUBULINA INTERMEDIA.



NATURAL HISTORY OF TEXAS.

Texan Insects, Phyllopod Crustacea, and Land and Fresh-water Shells for Sale by

G. W. BELFRAGE, Clifton,

Bosque County, TEXAS, U.S.A.

R. FRIEDLANDER & SOHN, Booksellers, BERLIN, N.W., Carlstrasse, 11,

Beg to recommend their Stock (the largest in the World) of Books on NATURAL HISTORY and SCIENCE, containing the richest collection of works on Zoology, Botany, Mineralogy, Palæontology, Mathematics, Scientific Seriels and Transactions of learned Scientific Societies as well as Monographs and Scientific Pamphlets, including the rarest ones.

Special Catalogues for every department of Science issued continually and forwarded gratis.

Just out: Catalogue No. 258: Conchology, the richest selection of Works and Monographs on recent and fossil Mollusca, including the works of Adams, Binney, Blainville, Chenu, Costa. Davidson, Delle Chiaje, Deshayes, Gould, Jay, Hörnes, Küster, Lea, Lamarck, Pfeiffer, Philippi, Poli, Rossmässler, Reeve, etc., etc.

ROBERT F. GEALE, Natural Mistory Agent,

(Many years with the late HUGH CUMING),

SHELLS, INSECTS, BIRDSKINS, ECCS, REPTILES,

Collections Bought or Sold on Commission.

No. 55, GREAT RUSSELL STREET, Opposite the British Museum, LONDON.

Comptoir de Conchyliologie. Madame Veuve MICHEL VIMONT

vient de transporter RUE DE MONTE-NOTTE, 14 (TERNES), L'ETABLISSE-MENT CONCHYLIOLOGIQUE, que son mari et elle dirigeaient. Elle continue comme par le passe, a s'occuper de la vente et de l'achat des Coquilles VIVANTES, dont elle possede un assortiment considerable, et a faire des envois dans les departements et a l'etranger. has Removed the Conchological Establishment carried on by her and her late husband at Toulouse, to 14, RUE DE MONTENOTTE, PARISTERNES. She continues to sell and purchase Recent Shells, of which she possesses a large and varied stock, and to send parcels into the departments, or to foreign countries.

Addresse:

Rue de Montenotte, 14, Paris-Ternes.

On the 1st of every month, Price Sixpence, 24 pp. 8vo.

The Untomologist's Monthly Magazine,

Conducted by J. W. DOUGLAS; R. M'LACHLAN, F.R.S.; E. C. RYE, F.Z.S.; and H. T. STAINTON, F.R.S.; &c.

This Magazine was commenced in 1864, and its pages are principally devoted to information respecting British Entomology.

London: JOHN VAN VOORST, I, Paternoster Row, E.C.

N.B. --The Volumes commence with the June number in each year. Subscriptions (6/- per vol., post free), should be forwarded to the Editors at the above address.

The American Raturalist:

A Popular Illustrated Monthly Magazine of Natural History and Travel.

Contains Departments of Botany, Zoology, Geology, Anthropology, Palæontology, Geography and Exploration, and Microscopy, and gives each month the proceedings of Scientific Societies, a digest of the Contents of Foreign Scientific Journals, and the latest Home and Foreign Scientific News.

The October Number of the AMERICAN NATURALIST opens with an interesting sketch on "The Surface Geology of Eastern Massachusetts" by W. O. Crosby; "Pseudis, the Paradoxical Frog," by S. W. Garman, follows, with an illustration. Edwin A. Barber, in his paper "On the Ancient and Modern Pueblo Tribes of the Pacific Slope of the United States," endeavours to answer the enigmatical question, "Who were the architects of the ancient and extensive prehistoric stone structures which abound in New Mexico, Arizona and other portions of the Southwest?" S. W. Williston discusses, con amore, "The American Antelope;" John A. Ryder touches closely upon the Darwinian Philosophy in his "Laws of Digital Reduction and David S. Jordan closes the list of long papers, with a very complete article "On the Distribution of Fresh-water Fishes." The recent publications relating to Natural History are fully and carefully reviewed by the editors; fourteen pages are devoted to new discoveries and advances made in the various sciences of Botany, Zoology, Microscopy, etc., the whole closing with Scientific News and Proceedings of Societies.

PRICE 18/- PER ANNUM. (By Subscription).

TRUBNER & CO., 57 & 59, LUDGATE HILL, LONDON.

EXCHANGE LISTS OF BRITISH

LAND AND FRESHWATER SHELLS,

Comprising all the SPECIES and VARIETIES known to occur in the BRITISH ISLES.

Price 1/4d. Each or 9d. per Dozen Post Free.
TAYLOR BROS., PRINTERS, ST. ANN'S ST., LEEDS.

NORTH AMERICAN


SHELLS ON SALE

BY

Taylor Brothers, St. Ann's Street, Leeds.

Continued from No. 12.

The State of Language					11.15	100	A STREET
						s.	d.
Helix	Tryonii,					1	0
,,	Kelletti,					I	0
23	", var.					I	0
,,	Bridgesii,					I	3
99	exarata,			•••		1	3
"	Stearnsiana,					1	3
29	Ayresiana,			•••		1	0
,,	Idahoensis,			•••		2	0
"	asteriscus, Morse	e				I	0
. 23	Breweri, Newc.					I	0
23	Carpenteriana, I	Bld.				0	9
"	conspecta, Bld.					1	0
"	Californiensis, L	ea.				I	3
,,	Gabbii, Newc.					1	0
"	Lansingii, Bld.					1	6
"	alternata, Say,					0	3
"	fuliginosus, Grif	F.				1	0
,,	inornatus, Say.					1	0
,,	arboreus, Say.					0	6
Succi	inea rusticana,					0	9
Binn	eia notabilis, Coop	ber.				I	6
Hem	phillia glandulos:	a, Binn	ey & L	3ld.	•••	I	0
Macr	cocylis Vancouver	ensis, Z	ea.			1	3
	" Voyana, <i>Ne</i>	wc.				1	0
Pupa	armifera, Say.			•••		0	4
"	pellucida, Pfr.			•••		0	4
Goni	obasis occata, Lea	7.			***	0	9



rterly Journal Conchology I no. 13 Nov. 1877

